

LUTEC

CONNECTED BY LIGHTING

18

OUTDOOR LIGHTING



www.lutec.com

LUTEC Germany – Austria - Switzerland
ECO-LIGHT Leuchten GmbH
+49-228-9691090 sales@eco-light.biz

LUTEC France
LUTEC France S.A.S
+33-04-75602598 jeanmichel@lutec-france.fr
Cadre & Light S.A.R.L.
+33 2 41 27 08 39 info@cadre-light.fr

LUTEC Spain – Portugal
LUTEC Lighting Iberia S.L.
+34-93-500 12 21 administracion@luteciberia.com
Silumin S.L.
+34-93-892 40 51 silumin@silumin.es

LUTEC Italy
Lightec Srl.
+39-031-3551342 info@lightecsrl.com

LUTEC United Kingdom – Ireland
LUTEC UK Ltd
+44 (0) 1992-760870 sales@lutecuk.com

LUTEC Hungary
LUTEC Lighting Kft
+36-30-2193952 zsolt.szlaviczek@lutec.hu

LUTEC Belgium – The Netherlands
TAO Europe N.V.
+32 (0)3 454 01 09 info@taolight.com

LUTEC Romania – Bulgaria – Moldavia
Redo Group Srl.
+40-234-562-452 stefan.craciun@redogroup.ro

LUTEC Greece – Cyprus
Samba – Eliezer
+30-2104820946 info@samba-eliezer.gr

LUTEC Russia
Oasis Light
+7-499-5501529 agata-v@rambler.ru

LUTEC Ukraine
Eurotrade
+38 -044- 496-74-83 anton@eurotrade.net.ua

LUTEC China Head Office
CN8, Far-East Industry Park, Yuyao, Zhejiang , China
+86-574-62760832 Info@lutec.com

LUTEC Europe Regional Office
Ruiterijschool 14, 2930 Brasschaat, Belgium
+32 3 284 51 62 Info@lutec-europe.com

European Central Warehouse
Woestijnstraat 57B, 2880 Bornem, Belgium

LUTEC

ECW Portfolio

OUTDOOR LIGHTING 2018

LUTEC

CONNECTED BY LIGHTING

18

OUTDOOR LIGHTING

LUTEC

CONNECTED BY LIGHTING

18

OUTDOOR LIGHTING

European Warehouse Portfolio

European Warehouse Portfolio

LUTECH

CONNECTED BY LIGHTING

18

OUTDOOR LIGHTING



Innovation - Connected - Design

Performance - Clever - Fun

6

Architectural

P96

Tradition

P110

Solar

P182

Security

P206

Work Light

P214

Functional

P240

Activity segments

Architectural





























A



ARCHITECTURAL

WALL									
5614401 MINI LEDSPOT / P2	5614402 MINI LEDSPOT / P2	5614404 MINI LEDSPOT / P4	5614405 MINI LEDSPOT / P4	5626001 TRUMPET / P8	5626002 TRUMPET / P8	6609202 EXPLORER / P10	5616001 EGGO / P12	5252101 ANDA / P14	
									
5616302 MERIDIAN / P16	5616304 MERIDIAN / P16	5187601 CONE / P20	5225302 SPRIL / P22	5225102 SPRIL / P22	5188003 GHOST / P24	5188801 APOLLO / P26	5193001 QUBO / P28	5616602 ARMOR / P30	5005103 FLAT / P32
									
5033001 FACE / P34	5033002 FACE / P34	5189401 EVEN / P36	5189901 SECO / P38	5192901 MITO / P40	5192801 FACCIA / P42	5189602 TONA / P44	5189601 TONA / P44	5189501 ZERTA / P46	5184901 ORIGO / P48
									
5184301 BOX CUBE / P50	5184601 BOX CUBE / P50	5183601 CITY / P52	5183803 DELTA / P54	5193201 LOTUS / P56	5186004 EYES / P58	5186103 EYES / P60	5186803 EYES / P60	5186502 RADIUS / P62	5186602 RADIUS / P62
									
5188201 SANDWY / P64	5187101 MASK / P66	5186902 PILO / P68	5186202 EVANS / P70	5186304 EVANS / P70	5187901 SPLIT / P72	5189102 GEMINI / P74	5189103 GEMINI / P74	5189101 GEMINI / P76	5189104 GEMINI / P76

ARCHITECTURAL

			 NEW					 NEW	
5189001 GEMINI / P78	5189002 GEMINI / P78	5521201 CRYSTAL / P80	5008101 VIRGO / P82	5510805 LUCA / P84	5002301 LUCA / P84	5521901 BILAYER / P86	5521801 BILAYER / P86	5192701 LEO / P88	5605701 PATH / P90
									
5605702 PATH / P90	5605801 PATH / P92	5605802 PATH / P92	5604011 FOCUS / P94	5604101 FOCUS / P94	5605013 FOCUS / P96	5605103 FOCUS / P96			
BOLLARD			 NEW						 NEW
	7214603 MINI LEDSPOT / P6	7214604 MINI LEDSPOT / P6	7226101 TRUMPET / P8	7216103 EGGO / P12	7252201 ANDA / P14	7216412 MERIDIAN / P18	7187611 CONE / P20	7225222 SPRIL / P22	7193001 QUBO / P28
		 NEW							
7216702 ARMOR / P30	7005201 FLAT / P32	7008201 VIRGO / P82							

MINI LEDSPOT

wall


One or two light head versions. The lights heads can rotate 320° and will give you a perfect solution as a spotlight or wall washer. It will create the desired ambiance.



5614401118
61445-1 gr

CLASS I CE
IP65
LED 9W
605 Lumen
Die Cast Aluminium


A+



5614402118
61445-2 gr

CLASS I CE
IP65
LED 18W
1210 Lumen
Die Cast Aluminium

A+



MINI LEDSPOT

wall sensor



Exocentric led spot, one or two heads, with a double movement, rotation & inclination





Adjustable PIR motion sensor with a 150° detection area





5614404118
61445-1-PIR gr

CLASS I CE
IP54
LED 9W
605 Lumen
Die Cast Aluminium
A+




5614405118
61445-2-PIR gr

CLASS I CE
IP54
LED 18W
1210 Lumen
Die Cast Aluminium
A+



MINI LEDSPOT

bollard


 This bollard is the perfect companion to light the pathways & terraces in your garden. The multidirectional heads will always direct the LED light to the desired spot.




7214603118
 61465-1-526 gr

CLASS I CE
 IP65
 LED 9W
 605 Lumen
 Die Cast Aluminium

A+


 4000K




7214604118
 61465-2-616 gr

CLASS I CE
 IP65
 LED 18W
 1210 Lumen
 Die Cast Aluminium

A+


 4000K



TRUMPET

wall & bollard


Accentuate your outdoor places with this minimalistic yet powerful LED wall light with moveable spotlight.



5626001118
6260 gr

CLASS I CE
IP54
LED 11W
850 Lumen
Die Cast Aluminium


A+
4000K



5626002118

CLASS I CE
IP54
LED 16W
1650 Lumen
Die Cast Aluminium



A+
4000K



7226101118
6261A-950 gr

CLASS I CE
IP54
LED 11W
850 Lumen
Die Cast Aluminium

A+
4000K



EXPLORER

wall

Elegant & compact spotlight, orientable horizontally & vertically, featuring a warm white LED light beam.




6609202118

CLASS I CE
IP54
LED 5W
300 Lumen
Die Cast Aluminium

A+

3000K



EGGO

wall & bollard


- Wall light with the spot head rotating over a 100°. The multicolour feature gives this article a playful look. As an indirect light the metallic paint will function as a perfect reflector.
- The tubular post comes in 3 dividable parts, and gives you the opportunity to mount the article as a pedestal, a medium or high post, following the light effect you want to give in your garden.



5616001118
6160 gr

CLASS II ☐ ☐
IP54
LED 9W
350 Lumen
Die Cast Aluminium
A*


4000K



7216103118
6161-1180 gr

CLASS II ☐ ☐
IP54
LED 9W
350 Lumen
Die Cast Aluminium
A*

4000K



ANDA

wall & bollard

Wall light with a 1000 lumen light output, can be mounted at a certain height in order to illuminate a large area.

Elegant but robust bollard which integrates well in your garden layout in a multi-installation format. The powerful light output will give a strong light but will not dazzle people passing by.




5252101118
25215 gr

CLASS I €€
IP54
LED 18W
1040 Lumen
Die Cast Aluminium

A+

4000K




7225201118
25225-800 gr

CLASS I €€
IP65
LED 18W
1040 Lumen
Die Cast Aluminium

A+

4000K



MERIDIAN

wall

Elegant combination of anthracite grey aluminium body and opal white polycarbonate diffuser. Wall light in small size gives a strong diffused light and a design statement in your garden.



Now also available with an adjustable motion sensor, perfectly integrated in the luminaire base.



5616302118 61635-3K gr

CLASS I CE
IP54
LED 14W
800 Lumen
Die Cast Aluminium

A+

3000K




5616304118 61635-PIR-3K gr

CLASS I CE
IP54
LED 14W
800 Lumen
Die Cast Aluminium

A+

3000K



MERIDIAN

bollard

Bollard at a perfect height which gives your pathway, terrace and garden the desired atmosphere at night without any glare.




7216412118
61645-730-3K gr

CLASS I CE
IP54
LED 14W
800 Lumen
Die Cast Aluminium

A+

3000K



CONE


wall & bollard

Straightforward design yet solid in function offering a powerful light output.
Easy to install bollard ideal along your driveways or footpaths.




5187601118
1876 gr

CLASS I CE
IP54
LED 12W
780 Lumen
Die Cast Aluminium



7187611118
11876N3-800 gr

CLASS I CE
IP54
LED 12W
780 Lumen
Die Cast Aluminium





SPRIL

wall & bollard

Wall lantern giving a very wide beam of homogenous light without any glare. The circular wall washer version creates a magical lighteffect.


This series of bollards will make a style statement in your garden, combined with great functionality.



5225302118
22535 gr

CLASS II ϵ
IP54
LED 8.4W
310 Lumen
Die Cast Aluminium


A⁺



5225102118
22515 gr

CLASS I ϵ
IP54
LED 8.4W
310 Lumen
Die Cast Aluminium


A⁺



7225222118
22525-650 gr

CLASS I ϵ
IP54
LED 8.4W
310 Lumen
Die Cast Aluminium

A⁺



GHOST

wall

Very sleek oval design which discretely gives an indirect light, resulting in a distinctive beam pattern.




5188003118
18805 gr

CLASS I CE
IP54
LED 7W
360 Lumen
Die Cast Aluminium

A+

4000K



APOLO

wall

Wall light with the optimal light combination. The narrow light beam shows a visually striking effect and the frontal diffusor radiates a homogeneous warm white LED light without any shadows. Ideal companion next to your front door.




5188801118

CLASS I ce
IP54
LED 14W
800 Lumen
Die Cast Aluminium

A+

3000K



QUBO

wall & bollard

Wall light and bollard creating a stunning atmosphere while making an architectural statement. Ideal for general lighting in your garden or terrace.




5193001118

CLASS I CE
IP54
LED 15W
800 Lumen
Die Cast Aluminium

A+

3000K




7193001118

CLASS I CE
IP54
LED 15W
800 Lumen
Die Cast Aluminium

A+

3000K



ARMOR

wall & bollard

Cube wall & bollard light with 4 die-cast aluminium corners, protecting the opal polycarbonate diffuser, but also giving a subtle design character.




5616602118
6166-3K gr

CLASS I CE
IP54
LED 8.7W
650 Lumen
Die Cast Aluminium

A+

3000K




7216702118
6167-600-3K gr

CLASS I CE
IP54
LED 8.7W
650 Lumen
Die Cast Aluminium

A+

3000K



FLAT

wall & bollard

Very easy to install, first mount the stainless steel wall bracket or post and then just slide on the diffuser part.




5005103001
ST031051-3K

CLASS I CE
IP44
LED 8W
500 Lumen
Stainless Steel

A+

3000K




7005201001
ST031052-450-3K

CLASS I CE
IP44
LED 8W
500 Lumen
Stainless Steel

A+

3000K



FACE

wall



Robust yet elegant stainless steel wall light, big surface diffuse warm white light radiation.
Discrete position of the adjustable PIR motion sensor.




5033001001
ST033071-3K

CLASS II
IP44
LED 13W
800 Lumen
Stainless Steel

A+

3000K




5033002001
ST033071-PIR-3K

CLASS II
IP44
LED 13W
800 Lumen
Stainless Steel

A+

3000K



EVEN

wall & ceiling

Elegant & flat design offering a strong and homogeneous diffuse warm white LED light without any shadows.




5189401112
1894-3K si

CLASS I CE
IP54
LED 15W
650 Lumen
Die Cast Aluminium

A+

3000K



SECO

wall

The clever designed aluminum backside of this fixture, offers an easy installation. It will result aswell in a floating effect of the diffusor versus your wall.




5189901118
1899-3K gr

CLASS I CE
IP54
LED 13W
770 Lumen
Die Cast Aluminium

A+

3000K



MITO

wall

Featuring a double glass design, this Up & Down wall light creates a magical effect on your external walls or near your entry door.




5192901118

CLASS I CE
IP54
LED 17W
800 Lumen
Die Cast Aluminium

A+

3000K



FACCIA

wall



Powerful diffuse & warm white light right to the area where it's needed. Subtle light beam to the back gives a nice glow on your external wall.




5192801118

CLASS I ce
IP54
LED 18W
1000 Lumen
Die Cast Aluminium

A+

3000K



TONA

wall



Thanks to the die-cast aluminum frame in one single piece, the smooth and gracious line is accentuated. The white opal diffuser with concentric circles is giving the right direction to the light and showing a subtle decorative detail during the day. Comes also with a build-in & adjustable motion sensor.





5189602118 1896-PIR-3K gr

CLASS I CE
IP44
LED 9W
600 Lumen
Die Cast Aluminium

A+

3000K




5189601118 1896-3K gr

CLASS I CE
IP44
LED 9W
600 Lumen
Die Cast Aluminium

A+


3000K



ZERTA

wall

The almost invisible "Stealth" form of this amazing wall light, houses a super powerful LED light-engine radiating a diffuse light. Best used at a certain height to light larger surfaces.




5189501118
1895-3K gr

CLASS I CE
IP44
LED 30W
2090 Lumen
Die Cast Aluminium

A+

3000K



ORIGO


wall

The specific positioning of the opal polycarbonate diffuser creates a very nice circular glow on your external walls or ceilings.



5184901118
1849 gr

CLASS I ce
IP54
E27 Max.40W
Die Cast Aluminium



BOX CUBE


wall

Striking forms fit in all your contemporary garden spaces. The opal impact proof diffusor offers the perfect homogeneous light without any shadows. Elegant construction with no screws on the surface. The E27 Edison fitting is suitable for energy saving lamps up to 15W




5184301118
1843 gr

CLASS I CE
IP44
E27 Max.60W
Die Cast Aluminium



5184601118
1846 gr

CLASS I CE
IP44
E27 Max.60W
Die Cast Aluminium



CITY

wall

Large size and robust wall light, fit to lighten large areas both in public or private places. The impact proof polycarbonate diffuser in combination with the sturdy die cast aluminum frame will make this fixture destruction proof.



5183601118
1836 gr esl

CLASS I CE
IP44
E27 Max.60W
Die Cast Aluminium





DELTA

wall


Scandinavian design with focus on gentle and warm glow to create the right setting during the "Nordic" nights. The transparent PC diffuser creates a stunning pattern on your wall, both in LED integrated version as in the traditional fitting execution.



5183803118
1838S-LED-3K gr

CLASS II  
IP44
LED 6W
260 Lumen
Die Cast Aluminium

A+
3000K



LOTUS

wall

Captivating design with a beautiful up & down light effect. This elegant wall light is the perfect addition to your entry door.




5193201118

CLASS I ce
IP54
LED 11W
500 Lumen
Die Cast Aluminium

A+


3000K



EYES

wall

Eye-catching "pacmann" form, radiating an indirect beam. No visible screws on the sleek surface in combination with a ribbed heat-ventilating aluminum base.




5186004118
1860 gr
5186004112
1860 sl

CLASS I CE
IP54
LED 9W
370 Lumen
Die Cast Aluminium

A+

4000K



EYES

wall


Oval form wall light, elegant, compact & simple.
Easy to install in many different applications.



5186103118
1861 gr

CLASS I \llcorner
IP54
LED 8.5W
310 Lumen
Die Cast Aluminium
A⁺


4000K



5186803118
1868 gr

CLASS I \llcorner
IP54
LED 3.9W
170 Lumen
Die Cast Aluminium
A⁺

4000K



RADIUS

wall


Round & square indirect light. The invisible LED light engine, creates a subtle light effect by the reflection on the vertically ribbed anthracite grey aluminum housing.



5186502118
1865 gr

CLASS I CE
IP54
LED 9W
140 Lumen
Die Cast Aluminium


A+



5186602118
1866 gr

CLASS I CE
IP54
LED 9W
130 Lumen
Die Cast Aluminium


A+



SANDWY

wall

The double light effect in the front and downwards, creating a nice beam pattern and a subtle decorative accent. The one piece die cast aluminum frame creates a sleek & elegant look.




5188201118
1882 gr

CLASS I CE
IP44
LED 9W
330 Lumen
Die Cast Aluminium

A+


4000K



MASK

wall

Super original interpretation of a highly efficient wall washer. No visible screws on the sleek surface. Very easy mounting with a built-in water level in order to install this wall light in a perfect horizontal position.




5187101118
1871 gr

CLASS I CE
IP54
LED 9W
440 Lumen
Die Cast Aluminium

A+


4000K



PILO

wall

Unique design radiating a glow in 4 directions, giving a distinctive light effect on your outdoor walls.
 Ingenious construction without any screws: the frontal aluminum cover is fixed in the right position thanks to a magnet.




5186902118
1869 gr

CLASS I CE
 IP54
 LED 11W
 760 Lumen
 Die Cast Aluminium

A+

4000K
 -178-



EVANS

wall


This minimalistic aluminum wall light shows a visual striking effect thanks to the use of a narrow beam lenses. The square execution radiates 4 perfect "laser" beams on your wall.



5186202118 1862-B2 gr

CLASS I ☐
IP54
LED 6W
N:55 Lumen
W:57 Lumen
Die Cast Aluminium

A+




57 Lumen 55 Lumen



5186304118 1863 gr

CLASS I ☐
IP54
LED 10W
N:165 Lumen
W:57 Lumen
Die Cast Aluminium

A+



3x55 Lumen 57 Lumen



SPLIT

wall

With this elegant up & down wall light your garden will get a modern look. The distinctive ribs are showing a nice decorative detail but also suits the heat ventilation which results in a longer lifetime for the LED module. CLASS II construction makes this article safer and also suitable to use in wet indoor places like bathrooms.




5187901000

1879 gr

CLASS II CE
IP44
LED 9W
480 Lumen
Die Cast Aluminium

A+


4000K



GEMINI

wall

Minimalistic design but great light output. This elegant "brick" light in die-cast aluminum radiates a perfect bi-directional beam. Comes in anthracite grey, white and stainless steel version.




5189102118
18915 gr

5189102032
18915 wh

CLASS I cē
IP54
LED 11W
500 Lumen
Die Cast Aluminium


A+



5189103118
ST18915

CLASS I cē
IP54
LED 11W
500 Lumen
Stainless Steel


A+



GEMINI

wall


The medium & large version are very convenient for an installation on a certain height on larger size external walls or entrances. Thanks to the light output of 1200/3000 lumen, the light beam will cover the full surface in two directions.



5189101118 1891M gr

CLASS I CE
IP54
LED 20W
1250 Lumen
Die Cast Aluminium


A+



5189104118

CLASS I CE
IP54
LED 42W
3300 Lumen
Die Cast Aluminium

A+



GEMINI

wall


Timeless design with a touch of quality. Up & down light with brushed premium stainless-steel cover. Small size is slim and efficient, medium size is robust and powerful.



5189001118
1890M

CLASS I CE
IP54
LED 24W
1240 Lumen
Stainless Steel



A+



5189002118
1890S

CLASS I CE
IP54
LED 9W
500 Lumen
Stainless Steel

A+



CRYSTAL

wall

Combination of brushed stainless steel housing and an optical lens, resulting in a magical and perfect aligned up & down beam pattern on your wall.




5521201001
ST5212-3K

CLASS I CE
IP44
LED 10W
660 Lumen
Stainless Steel

A+

3000K

101



VIRGO

wall & bollard

Elegant stainless steel outdoor wall & bollard light that represents contemporary design with a distinctive shaped diffuser.




5008101001

CLASS I CE
IP44
LED 3.7W
300 Lumen
Stainless Steel

A+

3000K




7008201001

CLASS I CE
IP44
LED 3.7W
300 Lumen
Stainless Steel

A+

3000K



LUCA

wall

Small and straightforward Up & Down light in brushed stainless steel. Limited distance from the surface. Round & square version.




5510805001
ST5108-LED-3K

CLASS I CE
IP44
LED 18W
1000 Lumen
Stainless Steel

A+

3000K




5002301001
ST033023-3K

CLASS I CE
IP44
LED 11W
600 Lumen
Stainless Steel

A+

3000K



BILAYER

wall

Elegant Up & Down wall light in premium stainless steel with nice decorative glow on both sides.
Comes in round & square version




5521901001
ST5219-3K

CLASS I CE
IP44
LED 8W
520 Lumen
Stainless Steel

A+

3000K




5521801001
ST5218-3K

CLASS I CE
IP44
LED 8W
520 Lumen
Stainless Steel

A+

3000K



LEO

wall

Magical wall light. The shiny silver coating makes it look like an invisible piece of lighting. Features a strong light beam up & down and a vertical light-strip in the front. The effect will be amplified in a multiple arrangement.




5192701118

CLASS I CE
IP54
LED 14W
870 Lumen
Heavy-duty die cast Aluminium
Chrome coating

A+

3000K



PATH

wall



Stainless steel Up & Down light with a discrete glowing part on both sides. Comes also in PIR motion-sensor version, very elegant incorporated and with a large detection reach.




5605701112
ST6057-3K

CLASS I \llcorner
IP54
LED 15W
800 Lumen
Stainless Steel

A⁺

3000K




5605702112
ST6057-PIR-3K

CLASS I \llcorner
IP54
LED 15W
800 Lumen
Stainless Steel

A⁺

3000K



PATH

wall




Stainless steel Up & Down light with a discrete glowing part on both sides. Comes also in PIR motion-sensor version, very elegant incorporated and with a large detection reach.





560580112 ST6058-3K

CLASS I ☾
IP54
LED 15W
800 Lumen
Stainless Steel
A+



5605802112 ST6058-PIR-3K

CLASS I ☾
IP54
LED 15W
800 Lumen
Stainless Steel
A+



FOCUS


wall

Heavy duty die-cast aluminum versions available in anthracite grey color in combination with clear glass diffusers, giving a robust construction and a perfect light radiation both functional as decorative.




5604011118
8040 gr

CLASS I CE
IP44
GU10 2*35W
Die Cast Aluminium



5604101118
8041 gr

CLASS I CE
IP44
GU10 35W
Die Cast Aluminium



FOCUS

wall

Square execution in die-cast aluminum, with an integrated LED engine comes in a downlight version and in an up & down light version.




5605013118
6050 LED gr

CLASS I \llcorner
IP44
LED 7.6W
300 Lumen
Die Cast Aluminium

A+

4000K




5605103118
6051 LED gr

CLASS I \llcorner
IP44
LED 3.8W
150 Lumen
Die Cast Aluminium

A+

4000K



Tradition



Tradition

Revisiting the traditional lantern theme with LED integrated versions. Matching with all kind of traditional homes & surroundings: Classic, Vintage, Cottage. Invisible light sources creating a magical glow. The versions with an EDISON fitting are perfectly suitable for the newest "vintage"-LED bulbs resulting in a perfect match between new technology and authentic style.

**wall
ceiling
bollards
poles**



TRADITION

WALL



5240101 ZOE / P98



5260101 UNITE / P100



5260103 UNITE / P100



5260201 UNITE / P100



5185901
AQUARIUS / P104

NEW



5185701
STARRY / P106



5241101 HOM / P108



5264201 CATE / P110

BOLLARD



7260401 UNITE / P102



7260311 UNITE / P102



7264210 CATE / P110



7264230 CATE / P110

ZOE

wall

Compact, vintage look lantern. Fits in all traditional surroundings. Incorporated LED tile radiates a gentle & warm light.




5240101012
524010-0K-01

CLASS I CE
IP54
LED 9W
330 Lumen
Die Cast Aluminum

A+

3000K



UNITE

wall



Complete collection, up & down lantern, pedestal and small post all in heavy duty die-cast aluminum and a transparent impact proof polycarbonate diffuser. The warm white light gives a cozy and traditional aspect.

Now also available in white powder coating.




5260101012

5260101030

CLASS I ce
IP44
LED 9W
330 Lumen
Die Cast Aluminium
A+

3000K




5260103012

5260103030

CLASS I ce
IP44
LED 9W
330 Lumen
Die Cast Aluminium
A+

3000K




5260201012

5260201030

CLASS I ce
IP44
LED 9W
330 Lumen
Die Cast Aluminium
A+

3000K



UNITE

bollard

Complete collection, up & down lantern, pedestal and small post all in heavy duty die-cast aluminum and a transparent impact proof polycarbonate diffuser. The warm white light gives a cozy and traditional aspect.

Now also available in white powder coating




7260401012

7260401030

CLASS I CE
IP44
LED 9W
330 Lumen
Die Cast Aluminium

A+

3000K




7260311012

7260311030

CLASS I CE
IP44
LED 9W
330 Lumen
Die Cast Aluminium

A+

3000K



AQUARIUS

wall

The authentic feel of this wall lantern fits perfectly to the country house style. The LED light source is perfectly integrated and gives a charming warm white light in combination with the transparent bubble glass diffuser.



5185901012

CLASS I CE
IP44
LED 17W
700 Lumen
Die Cast Aluminium

A+

3000K

128

330

120



STARRY

wall

Cottage style rectangular wall light. With water glass. The invisible LED light source is perfectly placed to create a very charming warm white light in combination with the water drop glass.




5185701012

CLASS I CE
IP54
LED 16W
600 Lumen
Die Cast Aluminium

A+

3000K



HOM

wall

Coach lantern with perfect "candle" light glow. The clear glass in combination with the LED light module offers a perfect radiation and high efficacy.




5241101012

CLASS I CE
IP44
LED 16W
400 Lumen
Die Cast Aluminium

A+

3000K



CATE


wall & bollard

This complete family with an authentic feel will turn your garden into a cozy & warm atmosphere, while using the newest "filament" LED bubs.




5264201213
2642 by

CLASS I c€
IP44
E27 Max.60W
Die Cast Aluminium




7264210213
12642 by

CLASS I c€
IP44
E27 Max.60W
Die Cast Aluminium



7264230213
32642 by

CLASS I c€
IP44
3*E27 Max.60W
Die Cast Aluminium



Solar



Solar

We developed different products for different applications around solar energy, portable lights or architectural, but always with the same ease of use and implementation.

Today, as a result of continuous research, the high efficiency solar panels in combination with powerful LED modules are giving a really satisfactory level of light.

Cleverly making the most out of the available solar energy is realised by intelligent user interfaces such as 3-step dimmer, timers and PIR-sensors, resulting in more autonomy and desired light levels.

portable
integrated panel
independent panel
hybrid



SOLAR













































<p>PORTABLE</p>	 <p>6908001 / P112 TABLE CUBE / P112</p>	<p>NEW</p>  <p>6908003 / P112 TABLE CUBE / P112</p>	 <p>6908002 / P114 TABLE CUBE / P114</p>	 <p>6907701 / P116 PADLIGHT / P116</p>	 <p>6904101 / P118 DRAGONFLY / P118</p>	 <p>6900302 / P120 MINI BUTTERFLY / P120</p>	 <p>6903503 BUMP / P122</p>	<p>WALL INTEGRATED PANEL</p>	 <p>6904001 LORD / P124</p>
 <p>6914401 / P126 MINI LEDSPOT / P126</p>	 <p>6914402 / P126 MINI LEDSPOT / P126</p>	 <p>6903401 ZERTA / P128</p>	<p>NEW</p>  <p>6910601 ARROW / P130</p>	 <p>6908501 BRICK / P132</p>	 <p>6901501 BREAD / P134</p>	 <p>6908701 BUBBLE / P136</p>	<p>NEW</p>  <p>6908901 TWILL / P138</p>	 <p>6906702 DISO / P140</p>	 <p>6906703 DISO / P140</p>
 <p>6907901 / P142 SOLSTEL / P142</p>	 <p>6907903 / P142 SOLSTEL / P142</p>	 <p>6901401 / P144 GHOST SOLAR / P144</p>	 <p>6901101 ZETA / P146</p>	 <p>9700308 POLE / P148</p>	 <p>6901301 DROP / P150</p>	 <p>6901201 TILLY / P152</p>	<p>NEW</p>  <p>6951301 / P154 LONDON / P154</p>	<p>WALL INDEPENDENT PANEL</p>	<p>NEW</p>  <p>6925601 / P156 SUNSHINE / P156</p>
 <p>6901601 / P158 SUNSHINE / P158</p>	 <p>69010101 / P160 NEVADA / P160</p>	<p>HYBRID COLLECTION</p>	 <p>6905201 SPARTA / P165</p>	 <p>9700017 / P166 GREENBALL / P166</p>	 <p>9700146 GYQ25 / P166</p>	 <p>6903601 FLAM / P168</p>	 <p>6903901 KIWA / P170</p>	 <p>6903902 KIWA / P170</p>	 <p>6903801 MINIS / P172</p>
 <p>6903802 MINIS / P172</p>	 <p>6903701 STACK / P174</p>	 <p>6903702 STACK / P174</p>	 <p>6904701 HONY / P176</p>	 <p>6928201 GLOBE / P178</p>	 <p>6901203 PILLAR / P180</p>	 <p>6904901 / P182 LOOP DECK / P182</p>	 <p>6904801 / P182 HONY DECK / P182</p>		

TABLE CUBE

portable



Handy & movable outdoor solar table light.



The 3 steps dimmer will always give you the right atmosphere in combination with a sufficient autonomy. Comes in 3 vivid colours & a stylish silver grey.

Now also available in the colour changing RGB version. With the touch dimmer you can dim the white light or choose one of the 4 bright colours.



Touchdimmer



1	100lm	4h
2	40lm	10h
3	10lm	40h
4		OFF

Solar panel



1W polycrystal

1	100lm	4h
2	10lm	40h
3 4 5		4h
6		4h
7		OFF

6908001337

6908001331

6908001339


6908001340

P9000-SK or


6908003331

P9000-RGB

CLASS III ⚡ CE
IP44
LED 1W
1*1200mAh 3.7V Li-ion battery
100 Lumen
Synthetics



CLASS III ⚡ CE
IP44
LED 1W
1*1200mAh 3.7V Li-ion battery
100 Lumen
Synthetics




RGB



TABLE CUBE

portable

Bring Solar light in every corner of your garden.
Bollard easy adjustable to full & medium height.
Ground spike included.
Comes with a 3 steps dimmer.



Touchdimmer




1	100lm	4h
2	40lm	10h
3	10lm	40h
4	OFF	

Solar panel
1W polycrystal

6908002337

CLASS III
IP44
LED 1W
1*1200mAh 3.7V Li-ion battery
100 Lumen
Synthetics

3000K



PADLIGHT

portable



Compact portable solar light. The ideal companion for your outdoor journeys. Versatile with multiple positions. Can be placed on a surface, hooked or suspended.



The light panel radiates a very uniform light without any shadow.



A 3-step dimmer gives you the possibility to optimise the light output & autonomy according to your needs.



The USB cable (included) allows also to charge via an electrical network. Recharge your mobile phone.



Touchdimmer



1	200lm	3h
2	80lm	9h
3	20lm	36h
4	OFF	

Solar panel



1.4W Monocrystalline

6907701331

P9077 wh

6907701339

P9077 gm

6907701340

P9077 or

CLASS III

IP44


LED 4W

1*2500mAh 3.7V Li-ion battery

200 Lumen


Synthetics


4000K




DRAGONFLY

portable

 In the "open" position this portable solar lamp will accumulate sufficient solar energy during the daytime or alternatively be charged through a built-in USB connector and included cable.

 In his closed position it will give an inviting light when it is dark.

 Comes with 3 step dimmer. Available in 4 fresh colours.



Touchdimmer





1		4h
2		10h
3		40h
4	OFF	



Solar panel



2*0.8W polycrystal

-  **6904101337**
P9041 bl
-  **6904101331**
P9041 wh
-  **6904101339**
P9041 grn
-  **6904101340**
P9041 or

CLASS III  
 IP54
 LED 1,2W
 1*2200mAh 3.7V Li-ion battery
 120 Lumen
 Synthetics



MINI BUTTERFLY

portable



Clever & convenient design.



When opening the "wings" of this butterfly, the 2 solar panels can efficiently capture the sunlight and charge the batteries in 4 hours-time.



The USB cable (included) allows also to charge via an electrical network.Recharging of your mobile phone is possible via the USB port.



As stand-alone light, the torch can suspended from its hook or held using the magnet in its base.



Comes with a 3-step dimmer and available in 3 fresh colours.



Touchdimmer



1	180lm	4h
2	70lm	10h
3	18lm	40h
4	OFF	

Solar panel



2*1.2W polycrystal

6900302331


6900302339

6900302340

CLASS III ⚡ CE
IP44

LED 1.6W
1*2200mAh 3.7V Li-ion battery
180 Lumen
Synthetics

4000K



BUMP

portable



Portable solar outdoor light with versatile application possibilities. Can be used as a table light, portable with the integrated handle. Unclip the handle and cord and it can be suspended.



Two charging possibilities : through separate monocrystalline solar panel providing solar energy or through the USB cable.



Touchdimmer



1	100lm	5h
2	40lm	7h
3	10lm	15h
4	OFF	

Solar panel



1.4W Monocrystalline



6903503339

6903503340

CLASS III ⚡ CE

IP44


LED 1W

1*2200mAh 3.7V Li-ion battery

100 Lumen

Synthetics

4000K



LORD


integrated panel



Compact and easy to install solar wall light with integrated monocrystalline solar panel inside a circular shield.



Mount the bracket on the wall with 2 screws and then just slide the body on. No wiring, mounted in no time!



Solar panel



1.4W Monocrystalline

TIME 5h

6904001000
P9040 sl

CLASS III

IP44

LED 1W

1*2200mAh 3.7V Li-ion battery

125 Lumen

Synthetics



4000K

214



L
45
T

220



101°



MINI LEDSPOT

integrated panel



Wall light with integrated solar panel, single and doublehead spot light versions. Both the panel, single and double head spotlight versions.



This will assure you an optimal solar efficiency. The bright LED spotlight can be orientated in all directions.



The 3 steps dimmer offers you the choice between bright and long-lasting light.



Dimmer



	OFF
H	100lm 6h
M	50lm 10h
L	30lm 21h

Solar panel



1.4W Monocrystalline

Dimmer



	OFF
H	200lm 6h
M	100lm 10h
L	60lm 21h


Solar panel



3.6W Monocrystalline

6914401000
61445-1-5L et

CLASS III \diamond CE
IP44
LED 1W
1*2200mAh 3.7V Li-ion battery
100 Lumen
Synthetics



6914402000
61445-2-5L et

CLASS III \diamond CE
IP44
LED 2W
1*2200mAh 7.4V Li-ion battery
200 Lumen
Synthetics



ZERTA

integrated panel



Very sleek & elegant design, almost invisible. The high capacity, perfectly integrated mono-crystalline solar panel can charge solar energy very efficiently. This energy can be used to radiate a powerful and long-lasting light during your hot summer nights.



Solar panel



3.6W Monocrystalline

TIME 5h

6903401000
P9034 al

CLASS III \diamond CE
IP44
LED 3W
1*2200mAh 7.4V Li-ion battery
200 Lumen
Synthetics

—255—
4000K



ARROW

integrated panel



Very compact Solar wall light. The small size and light weight assures an easy mounting on the smallest surfaces.



Sensor-switched and executed with an inclined solar panel for a better sunlight capture.



Solar panel




1W polycrystal



160 times

6910601335

CLASS III \diamond CE
IP44
LED 2.3W
1*1200mAh 3.7V Li-ion battery
180 Lumen
Synthetics



81°

SENSOR

0-12 meter

0-12 meter



120°


BRICK

integrated panel

Minimalistic design, easy installation on all different surfaces.



Elegant built-in motion sensor with wide angle and large reach will capture every movement. Time & Light sensitivity regulation possible with levers at the inside.




Solar panel



1.5W polycrystal

6908501308
P9035

CLASS III \diamond ce
IP44
LED 1.5W
1*2200mAh 3.7V Li-ion battery
150 Lumen
Stainless steel



SENSOR



BREAD



integrated panel



Compact and easy to install solar wall light.
Fits perfectly to many different outdoor styles.




The built-in motion sensor assures you a
welcoming light throughout the night.



6901501000
P9015 al

CLASS III \diamond \diamond ∞
IP44
LED 1.2W
1*2200mAh 3.7V Li-ion battery
100 Lumen
Synthetics

4000K



SENSOR



BUBBLE

integrated panel



Half-globe solar light radiating a homogenous light.

The PIR motion sensor, nicely incorporated in the stainless steel ring, will capture all movement and assures a powerful light any time somebody is passing throughout the night.




OFF	Solar panel
AUTO 190 lumens	1.5W polycrystal
ON 3h	

6908701001
519007

CLASS III \diamond CE
IP44
LED 2.3W
1*2200mAh 3.7V Li-ion battery
200 Lumen
Stainless steel

4000K



TWILL


integrated panel




Up & Down light feature, now also available in Solar version. Nice two direction & wide light beam on your wall.



The integrated Solar panel is fully part of the design and completely out of view. Featuring a wide angle motion sensor.




Solar panel



6908901335

CLASS III
 IP54
 LED 2.2W
 1*1200mAh 3.7V Li-ion battery
 200 Lumen
 Synthetics



DISO

integrated panel




Solar panel is perfectly integrated in the ingenious design. Ready to capture the full sunlight. Moveable head will orientate the light beam to the desired spot.



The wall version comes with a PIR motion sensor which assures you a power full light any time somebody is passing.



Bollard version mountable with screws or with included ground spike.



Solar panel






1.5W polycrystal

6906702335
17007-410 gr

6906703335
17007-450 gr

CLASS III \diamond \llcorner
IP44
LED 2W
1*2200mAh 3.7V Li-ion battery
200 Lumen
Synthetics

CLASS III \diamond \llcorner
IP44
LED 2W
1*2200mAh 3.7V Li-ion battery
200 Lumen
Synthetics



SOLSTEL

integrated panel



Solar wall light with an opal diffuser. Gives a powerful and diffused light throughout the night thanks to the motion sensor option.



The brushed stainless steel cover has also a bracket function. The light part can be slid into place without any tools. The house number sticker set makes the package complete.



The bollard version has the same functionalities and is easy to mount with screws or with a ground spike (included)




+ 1 · A



OFF	Solar panel
AUTO 150 times	1W monocrystalline
ON 2.5h	

6907901000
519079


CLASS III \diamond CE
IP44
LED 1.3W
1*2200mAh 3.7V Li-ion battery
100 Lumen
Stainless steel



OFF	Solar panel
AUTO 150 times	1W monocrystalline
ON 2.5h	

6907903001
519079-450

CLASS III \diamond CE
IP44
LED 2.3W
1*2200mAh 3.7V Li-ion battery
150 Lumen
Stainless steel



GHOST SOLAR

integrated panel



Sleek and elegant design.




This wall washer with integrated solar panel and wide angle PIR motion sensor offers you a strong light when needed.



OFF	Solar panel
AUTO 80 times	1.5W polycrystal
ON 2h	

6901401337
P2014 st

CLASS III \diamond CE
IP44
LED 2.4W
1*2200mAh 3.7V Li-ion battery
260 Lumen
Synthetics



ZETA


integrated panel



This wall light offers you the complete freedom to orientate the solar panel and the light panel in the optimum direction.




In combination with the PIR motion sensors it will give a strong light to any outdoor space.



6901101000
P4011

CLASS III \diamond CE
IP44
LED 2.4W
3*1800mAh 1.2V Ni-MH AA battery
200 Lumen
Synthetics



POLE

The solar wall lights BREAD, ZETA & DROP can be mounted easily and without any tools on an independent post, creating a perfect bollard solution. The post can be screwed on a solid surface or put into the ground thanks to the included spike. The post contains 3 tubes giving the option to vary the height up to 1 meter.



9700308112
P9004

Color silver (si)
for
P9011
P9013
P9015



DROP

integrated panel



The solar panel with the integrated spotlight recessed into its surface gives a distinctive image.



The spotlight with centrally built-in motion sensor offers you the possibility to orientate the light exactly where it is needed to give you a warm and safe welcome throughout the night.



OFF AUTO ON

OFF

AUTO 80 times

ON 2h

Solar panel



2.5W polycrystal

6901301337

PROLIS

CLASS III

IP44

LED 2.4W

1*2200mAh 3.7V Li-ion battery

240 Lumen

Synthetics

4000K

73°

192

210

210

210

210

210

210

210

210

210

210

210



73°

SENSOR

0-6 meter

120°

120°

120°

120°

120°

120°

TILLY


integrated panel



A slim, futuristic design. The sleek adjustable spot heads can be orientated under the solar panel surface, giving multiple directions and powerful light beams.




In combination with the subtle and centrally positioned PIR sensor, it will detect any movement throughout the night and will illuminate any foreseen or unforeseen guest.



6901201000
7.4V 12 Ah

CLASS III
IP44
LED 4W
1*2200mAh 7.4V Li-ion battery
420 Lumen
Synthetics



LONDON

integrated panel



Classic 6 side lantern powered with Solar energy. The almost invisible Solar panel at the roof of the lantern has a large capacity. Resulting in a long autonomy of more than 10 hours during night time. Comes with 3 retrofit filament bulbs, creating a warm & gentle light.

The die-cast aluminium post can be mounted on a paved surface thanks to the included metal mounting bracket. For unpaved surfaces, you can use the special spike, available as an accessory.



<p>Solar panel</p> <p>6W polycrystal</p> <p>OFF AUTO</p>	Estimated Light Run Time for Different Seasons		
	<p>300 lumen</p>	<p>Winter</p> <p>(101W/㎡)</p> <p>03h40</p>	<p>Spring</p> <p>(332W/㎡)</p> <p>08h00</p>




Actual run time may vary depending on your specific location

6951301189

9700359330

9700357000

CLASS III \diamond CE
 IP44
 LED 6W E12/incl.
 1*2200mAh 7.4V Li-ion battery
 300 Lumen
 Die Cast Aluminium



Synthetics

LED 2W
 250 Lumen

SUNSHINE

independent panel



Elegant & powerful flood light offers a complete solution wherever there's no electrical power connection available. Ideal for illuminating your courtyards & driveways.



The separate moveable solar panel comes with a 5 meter connection cable and can be positioned on the best spot to capture sunlight. Featuring an adjustable (time & distance) PIR motion sensor.




Solar panel




1.4W polycrystal (5 meter cable)

Wiring system



6925601345

CLASS III \diamond CE
 IP44
 LED 7.5W
 1*2200mAh 3.7V Li-ion battery
 500 Lumen
 Synthetics



SUNSHINE


independent panel



This wall light offers a complete security light installation without any wiring to the electricity network. The separate adjustable solar panel with its 5 m cable can be positioned on the optimum spot to capture sunlight all day long.





Comes with an adjustable (time & distance) PIR motion sensor. The movable spot head will give more than 350 lumen.




6901601000
P 9016 01

CLASS III ⚡ CE
IP44
LED 3.2W
1*2200mAh 3.7V Li-ion battery
360 Lumen
Synthetics

4000K



Wiring system



NEVADA

independent panel



Die-cast aluminium square and round spot light.




Robust construction and fully adjustable.



The powerful LED light source in combination with the adjustable PIR sensor gives a great "security light" solution.




Solar panel



3.5W polycrystal
(5 meter cable)

6910101118
610194 IR SL gr

CLASS III
IP44
LED 4W
1*2200mAh 7.4V Li-ion battery
450 Lumen
Die Cast Aluminium



SENSOR



SUN'CONNEX

SOLAR/HYBRID COLLECTION



SPARTA solar panel
with integrated battery



GREEN BALL connecting
the solar panel, the lamps
and optionally the transfo.
Dusk dawn sensor




The optional motion sensor
communicate with the
GREEN BALL



Plug in transfo



Fixation, pick or screw
or wall fixation



THE LAMPS

FLAM

HONY

KIWA

MINIS

STACK


DECK, LOOP & HONY



sun'connec

A Solar Energy Lighting System for Gardens and Terraces

HYBRID SYSTEM CHOOSE YOUR POWER



GREENBALL HUB
Control and connect all elements together

LED LIGHTING FIXTURES
Efficient and long lasting


PICK or SCREW
Easy installation



Flexible Installation

Thanks to the connection accessories you have the full freedom to make any desired installation.

- Plug-in transfo 6W or 12W
- 3 way connector
- 2 way connector
- 5 metre cable




Large Autonomy


Fully charged Li-ion battery 2200mAh-7.4v	
1 x 100 lumen	12 hours
2 x 100 lumen	6 hours
3 x 100 lumen	4 hours

HYBRID SYSTEM CHOOSE YOUR COMBINATION


4 Combinations



SOLAR ENERGY




ELECTRIC ENERGY



HYBRID SYSTEM

The system switches automatically to the mains when the batteries run out of solar energy



Wireless PIR motion sensor
Moveable & adjustable
Time: 1-3-5 minutes
Distance: 5-8-12 metres

SPARTA


SUN'CONNEX

High capacity poly-crystalline solar panel. Elegant and sleek design : no visible screws or connections. Including a Li-ion rechargeable battery. The adjustable panel can be installed on a wall or on a pole. The included spike gives you another installation option.



6905201000
P9052

CLASS III ⚡ CE
IP44
12V 4W
1*2200mAh 7.4V Li-ion battery
Synthetics



GREEN BALL

SUN'CONNEX




The Green ball "HUB" is the dispatch centre of the system. It controls and connects all elements together. The luminaires, the solar panel, the connection to the mains adaptor and the connection with the wireless motion sensor. The built in dusk/dawn sensor controls the lamps and the power source.




9700146000
P9054

CLASS III ⚡ CE
IP44
2*12V DC input
3*12V DC output
Synthetics



9700017000
P9053

CLASS III ⚡ CE
IP44
4x1.5V AAA Battery
Synthetics



FLAM


SUN'CONNEX

A playful and colourful design giving diffused or direct light. A vibrant light animating your garden.



6903601202
P9036 prp
6903601000
P9036 gm

CLASS III ⚡ CE
IP44
LED 1W
Input: 12V DC
100 Lumen
Synthetics



6903602201
2-P9036 prp
6903602000
2-P9036 gm

Set
green (gm)
purple (prp)
2 x P9036 (LIGHT)
1 x P9052 (PANEL)



KIWA


SUN'CONNEX

A playful and colourful design giving diffused or direct light. A vibrant light animating your garden.




6903901501
ST9039

CLASS III ⚡ CE
IP44
LED 1W
Input: 12V DC
100 Lumen
Stainless Steel




6903902601
ST9039-525

CLASS III ⚡ CE
IP44
LED 1W
Input: 12V DC
100 Lumen
Stainless Steel



6903920602
ST9039-525

Set
2 x ST9039-525 (LIGHT)
1 x P9052 (PANEL)



MINIS


SUN'CONNEX

A freely moving, slim and discrete light which fits perfectly in the environment with its reflecting back. Wall and post spike version.




6903801301
ST9038

CLASS III ⚡ CE
IP44
LED 1W
Input: 12V DC
100 Lumen
Stainless Steel




6903802401
ST9038-580

CLASS III ⚡ CE
IP44
LED 1W
Input: 12V DC
100 Lumen
Stainless Steel



6903820400
2-ST9038-580

Set
2 x ST9038-580 (LIGHT)
1 x P9052 (PANEL)



STACK

SUN'CONNEX


An efficient adjustable spotlight. Multiple heads can be clicked onto the same post offering a sea of light.



6903701703

P9037


CLASS III ⬢ CE
IP44
LED 1W
Input: 12V DC
120 Lumen
Synthetics



6903702803

P9037-450


CLASS III ⬢ CE
IP44
LED 1W
Input: 12V DC
120 Lumen
Synthetics



6903704335

P9037-430

Set
2 x ST9037-450 (LIGHT)
1 x P9052 (PANEL)



HONY



SUN'CONNEX

Crystal Light. Plays with transparency and functionality. Very elegant and directional spot head with a powerful beam.



6904701118
9047

CLASS III \diamond ∞
IP67
LED 1W
Input: 12V DC
100 Lumen
Synthetics



GLOBE

SUN'CONNEX


Globe with perfect 360° light radiation.
Perfect fit in all gardens.



6928201330
P22825-SL

CLASS III ⚡ ⚡
IP54
LED 1W
Input: 12V DC
82 Lumen
Synthetics

4000K



PILLAR


SUN'CONNEX

Crystal pearl effect, will bring your garden in a magical atmosphere.



6901203308
8012-SL

CLASS III ⚡ CE
IP54
LED 1.1W
Input: 12V DC
80 Lumen
Stainless steel





LOOP DECK & HONY DECK

SUN'CONNEX

Deck light versions, use HONEY to punctuate your terrace. HONEY LOOP version giving a nice glow in 4 directions. HONEY DECK can be used as orientation light.



6904901118
9049

CLASS III ⚡ ☑
IP67
LED 1W
Input: 12V DC
100 Lumen
Die Cast Aluminium



6904801118
9048

CLASS III ⚡ ☑
IP67
LED 1W
Input: 12V DC
100 Lumen
Die Cast Aluminium



Security

S



Security

SECURITY consists of a compact range focussing on safety applications. Powerful floodlights with adjustable single or multiple spot heads, enable large areas to be lit. The PIR-movement sensor equipped with multiple parameter settings enables the installation of a perfect detection system.

Featuring a complete new range of connected camera lights, with a focus on integrated security. Working with our own LUTEC APP running on your smartphone. This will make your outdoor life more personal, comfortable & safer.

**wall
ceiling
spike
camera**



SECURITY

WALL



7615601 CORN / P184



7629401 PERI / P186



7629501 PERI / P186



7625601 SUNSHINE / P188



7632201 ARC / P190



7621903 SHRIMP / P192



7621902 SHRIMP / P192



7622104 SHRIMP / P192

FLOOD



7617001 NEGARA / P194



7617002 NEGARA / P194



7617003 NEGARA / P194



6609201 EXPLORER / P196

CAMERA

CAMERA



7625501 ESA / P198



7629502 PERI / P200



7632401 LIBRA / P202



5190601 VESTA / P204



5267101 ELARA / P206

CORN

wall

Ingenious security light. The articulation possibilities over the central rotating part and the individual adjustable spot heads gives an incredible range of settings. The powerful LED source makes your outdoor areas as bright as day. The combination of the stylish cooling ribs on the back and the LED source results in a very low heat emission. This allows the floodlight to be installed under porches.




The PIR sensor is adjustable in time and distance covering a wide detection area.



7615601118
6156-PIR gr

CLASS I ☺
IP54
LED 20W
2100 Lumen
Die Cast Aluminium
A+

4000K



33°

SENSOR

TIME


10s-8min

10LUX daylight

LUX

0-12 meter

150°



PERI


wall



This new version of security floodlight combines a very powerful LED source with a double and adjustable motion sensor. The frontal sensor has a detection range of up to 20 metres. The second sensor covering the area under the floodlight detects movement close to the wall.





The electrical jack connection allows a simple and easy installation, with no tools needed. The PERI series comes in a single and double spot head version and is suitable for wall and ceiling mounting thanks to the rotating base.





7629501331
6295-PIR-5K wh

CLASS I CE
IP54
LED 16W
1710 Lumen
Synthetics



7629401331
6294-PIR-5K wh

CLASS I CE
IP54
LED 32W
3280 Lumen
Synthetics



Quick install



SUNSHINE

wall





Elegant & powerful flood light, ideal for illuminating larger areas as your courtyards & driveways.




The rectangular head can be directed over 2 axes.
Comes with a high quality and fully adjustable PIR motion sensor with a detection reach up to 18 meter.



7625601345

CLASS II  
IP44
LED 17W
1200 Lumen
Synthetics

A+ 



SENSOR



1MIN - 3MIN
TEST: 10MIN



ARC

wall



Elegant double head projector with fully adjustable motion sensor.



The two "wings", feature a diffusor surface without edges, resulting in a perfectly homogeneous light beam. The multiple orientation possibility gives you full flexibility to cover the desired area.



7632201053
6322-PIR-5K wh

CLASS I CE
IP54
LED 19W
1200 Lumen
Synthetics

A

5000K



277

156

204

242

149

277


SENSOR

0-18 meter

1MIN_3MIN

TEST_10MIN

1100



Quick install



Automatic Plug-in



SHRIMP

wall



Elegant yet powerful security floodlight with typical "bike lamp" design.



This series is available with or without adjustable PIR motion sensor.



7621903012
6219A-PIR bl

CLASS I ☐ CE
IP54
LED22W
1380 Lumen
Die Cast Aluminum
A+




7621902012
6219A bl

CLASS I ☐ CE
IP54
LED22W
1380 Lumen
Die Cast Aluminum
A+



7622104330
P6221A-PIR23-5K bl

CLASS II ☐ CE
IP54
LED 15W
1360 Lumen
Synthetics
A+



NEGARA

wall & spike



Very classy LED floodlight in silver grey finish. The layout of the 8 powerful LEDs in the perforated aluminium reflector gives an extra design touch.




The PIR motion sensor and spike version make the series complete.



7617002112 6170-PIR si

CLASS II
IP54
LED24W
1540 Lumen
Die Cast Aluminum

A+



SENSOR

TIME

10s-8min

LUX

100LUX-
daylight

4000K

89°

0-12
meter

150°

7617001112 6170 si

CLASS II
IP54
LED 24W
1540 Lumen
Die Cast Aluminum

A+

4000K

89°

150°

180°

140

180

165

222

180

180

180

180

7617003112 6170-SP si

CLASS II
IP54
LED 24W
1540 Lumen
Die Cast Aluminum

A+

4000K

89°

150°

180°

140

180

165

222

180

180

180

180

EXPLORER

spike


S Elegant & compact spotlight on spike, orientable horizontally & vertically, featuring a warm white LED light beam. Comes with a separate spot-cap, which can be used to direct the light beam and avoiding any glare.



6609201118

CLASS I \llcorner
 IP54
 LED 5.3W
 300 Lumen
 Die Cast Aluminium

A+
 3000K





SECURITY'LIGHT
connected camera concept

Launch of a complete new range of connected camera lights, with a focus on integrated security. Working with our own LUTEC APP running on your smartphone. This will make your outdoor life more personal, comfortable & safer.

camera light

SL



 SECURITY'LIGHT
connected camera concept



Have full control with the fully adjustable app.
Feel safe with the comfortable feeling that SECURITY'LIGHT keeps an eye on your home.

With SECURITY'LIGHT everything is under control.



Get live notifications from what's happening at your home. Talk to your visitors and feel secure.

You can even take a picture or record a video from wherever you are.

Listen and talk live with your visitors.



You can record a video or go back in time.
And you can remotely set of an alarm buzzer.




Get an alert whenever someone approaches your home.



The light automatically jumps on where there is motion detected.

SECURITY'LIGHT will keep an eye on your home



«When light meets a camera,
when light means security»



ALL CONTROLABLE IN ONE APP,
WHERE EVER, WHEN EVER.



Powerful and bright light with
the dimmable LED module



Sharp HD video recording with
wide angle light sensitive lens



Built-in noise cancelling microphone
with 2-way speaker buzzer





Infra-red motion sensor
fully adjustable in time,
distance and light mode




App with live motivations and video feed
Full control on all settings



Easy installation
WiFi connection




Pre-installation




- Ensure SECURY'LIGHT location has good Wi-Fi reception
- Note: even small change in position can improve the reception

Set up



Control

3 predefined presets for LOW-MEDIUM-HIGH security



CUSTOM setting
will give you full
control and
possibility to
adjust all light,
video, audio &
sensor
parameters.

Support

Via the "support" button you can access to all further
Information & FAQ.



Please check out operation video
(installation , set-up & use)

YouTube <https://youtu.be/jEIA3FYe-NQ>


ESA

wall



Techno look projector in the SECURITY'LIGHT range. Sleek design with 3 distinctive linear & diffuse beams. The automatic plug-in connection allows a simple & easy installation. Fully orientable over two axes . Up-Down & Left-Right. Comes in white & dark grey colour.

Fully orientable over two axes: Up-Down & Left-Right. Comes in white & dark grey colour.




7625501118
6255-CAM gl

7625501053
6255-CAM wh

CLASS II
IP54
LED 25W
1530 Lumen
Die Cast Aluminum
A+

5000K



SENSOR



PERI

wall & ceiling



Rectangular floodlight in the SECURY[®]LIGHT range.
Powerful LED light beam with a nice grid patter.
The automatic plug-in connection allows a simple
& easy installation.
Fully orientable over two axes.Up-Down & Left-Right
Comes in white & dark grey colour.



7629502335
6295-CAM gr


CLASS II
IP44
LED 25W
2120 Lumen
Synthetics

A+

5000K



SENSOR




LIBRA

wall & ceiling



Double head projector in the SECURITY'LIGHT range. The two "wings" feature a diffusor surface without edges, resulting in a perfectly homogeneous light beam. The automatic plug-in connection allows a simple & easy installation. The multiple orientation possibility gives you full flexibility to cover the desired area.




7632401053
6324-CAM wh

CLASS II
IP44
LED 38W
3000 Lumen
Synthetics

A+

5000K





VESTA

wall



Stainless Steel wall light in the SECURITY'LIGHT range. Elegant & sleek design with rectangular diffuser. Radiates in a warm white light without shadows. Camera, Speaker, Microphone & PIR motion sensor are fully integrated in the fixture.



5190601118
ST1906-CAM


CLASS I ⚡
IP54
LED 30W
1350 Lumen
Stainless Steel

A+

3000K




SENSOR



ELARA

wall

Tubular stainless steel wall light in the SECURITY LIGHT range. Familiar design for entry-door application, with perfect finish and appropriate combination of the used materials. Warm white LED light without shadows. Camera, Speaker, Microphone & PIR motion sensor are fully integrated in the fixture.



5267101001
ST2671-CAM

CLASS II
IP44
LED 18W
1200 Lumen
Stainless Steel

A+

3000K



SENSOR



Work Light

W



Work Light

WORK LIGHT full range covering all lighting needs for any work shop or construction site. From small to large, from domestic to professional. We focus on easy manipulation and light efficiency and being compact when not in use.

DIY is a growing activity becoming more and more popular. To meet demand, LUTEC has designed a complete range, from small autonomous portable lamps to different tripods equipped with multi light heads. Bright and easy to use, to install and transport. These products are used in all kinds of workshop, outside, gardens, terraces, BBQ parties, punctual needs... We have focused on the mobility but also, we have developed fixed fixtures specifically for the workshop, garage, terraces with wall or ceiling applications. This series is really representative of a complete universe where people can find the right products.



**portable
tripod**

WORK LIGHT

WORK LIGHT



7629701 UTIN / P208



7633301 MODO / P210



7629301 PERI / P212



7629001 PERI / P214

UTIN

portable




Compact portable LED work light, great look and striking colour combination. Easy to store and transport. You perfect companion for all your DIY projects. Comes with a 1.8m cable and plug.



7629701341
6297-5K ye

CLASS I CE
IP54
LED 11W
1040 Lumen
Die Cast Aluminum
A+




MODO

portable




Portable work light with a distinctive but functional design. The yellow corner parts including the soft to the touch handle will protect the luminaires when falling. Including a 2.5 meter wire and plug.



7633301118

CLASS I \llcorner
 IP54
 LED21W
 1500 Lumen
 Die Cast Aluminium
A+

5000K



PERI

portable



Portable version of the PERI range. Featuring the same 2 powerful LED spotlights. Both easy adjustable in any desired direction. Practical handle and easy wiring system for 1.5m electrical cable.



7629301341
6293-5K gr

CLASS II
IP54
LED 21W
2000 Lumen
Die Cast Aluminum

A+

5000K

L=1.5M | -221- |
183
352
90°
84°



PERI

portable




The Tripod floodlight re-invented. The PERI double head LED work light is really a super performer. When closed, it is easy to transport thanks to the practical handle, a 2.5 m cable wrap and its compact dimensions. The installation is both logical and fast. Thanks to the telescopic and manual lock system, you can build up in no time a stable and height-adjusted tripod. The double LED spot head adjustable works in 2 rotation axes.



7629001341
6290 gr

CLASS II
IP54
LED 35W
3200 Lumen
Die Cast Aluminum

A+



Functional



Functional

Under FUNCTIONAL ranges, we propose a number of essential lighting fixtures with a straight forward design. Ideal complements for functional applications like corridors, staircases, hall ways, entrance paths and facades. Most of the ranges come with an impact-proof polycarbonate opal diffuser resulting in a homogenous and strong light output without shadows. The recessed ground ranges are covering all standard applications. This with multiple light source possibilities and small, medium and large sizes.

wall
ceiling
recessed ground




FUNCTIONAL

<p>WALL & CEILING</p>	 6348102 UBLO / P216	 6349102 UBLO / P216	 6350102 UBLO / P216	 6348101 UBLO / P218	 6349101 UBLO / P218	 6350101 UBLO / P218	 6336101 TITAN / P220	 6336201 TITAN / P220	 6317412 TITAN / P222
 6338101 SEINE / P224	 6338201 SEINE / P224	 6334102 SEINE / P226	 5191601 HELENA / P228 NEW	 5191602 HELENA / P228 NEW	 6330401 BONN / P230	 6330402 BONN / P230			
<p>RECESSED GROUND</p>	 7700511 BERLIN / P232	 7700513 BERLIN / P232	 7704601 STRATA / P234 NEW	 7704212 CYDOPS / P236	 7704801 DENVER / P238 NEW	 7701301 ARCTIC / P240 NEW			

UBLO

wall & ceiling

Compact & elegant fixture producing a perfect uniform and homogenous warm white LED light without any shadow. Easy access to the connection part by removing click-on front plate.



6348102112
2007 100K 21



6349102112
2007 100K 21



6350102112
2007 100K 21



CLASS I Ⓢ
IP54
LED 8W
420 Lumen
Die Cast Aluminum


A+

3000K

UBLO

wall & ceiling

Large size with same design & functionalities.
Double lumen output makes it very suitable for
illuminating a large space.



6348101112
2400K, 15W



6350101112
3000K, 16.5W



CLASS I ∞
IP54
LED 16.5W
950 Lumen
Die Cast Aluminum
A+
3000K

6349101112
2400K, 15W




CLASS I ∞
IP54
LED 15W
950 Lumen
Die Cast Aluminum
A+
3000K

TITAN

wall & ceiling

Medium sized wall & ceiling series available with 2 different decorative aluminium covers creating the desired effect for the location. With traditional Edison fitting, it is suitable for energy saving bulbs, up to 20W, . Easy installation with a standard loop in loop out wiring option.




6336201118
3331 W

CLASS I \llcorner
IP54
E27 MAX 60W
Die Cast Aluminum



6336101112
3332 W


CLASS I \llcorner
IP54
E27 MAX 60W
Die Cast Aluminum



TITAN

wall & ceiling

Super compact wall & ceiling light, ideal to use for multiple light compositions on stairways, outside walls and terraces. The integrated LED light engine radiates a gentle warm white light without any shadows. The subtle glow to the back makes it complete.



6317412112
31740-3K al

CLASS I CE
IP54
LED 4W
130 Lumen
Die Cast Aluminum


A+
3000K



SEINE


wall & ceiling

Robust heavy duty die-cast aluminium fixture. This large model with two traditional E27 fittings, is suitable for energy saving bulbs of up to 20W offering a very powerful light output. The soft glowing light effect to the back creates a "floating" impression. Ideal for creating a safe atmosphere around your home at night.





6338101118

CLASS I ☺
IP54
E27 MAX 2*60W
Die Cast Aluminum
90



6338201118


CLASS I ☺
IP54
E27 MAX 2*60W
Die Cast Aluminum
83



SEINE

wall & ceiling


Super compact wall & ceiling light, the rectangular form can be well integrated in your modern architectural projects, especially when used in a multiple light compositions. The integrated LED light engine radiates a gentle warm white light without any shadows. The subtle glow to the back makes it complete.



6334102112
SEINE 2R 1

CLASS I CE
IP54
LED 4W
150 Lumen
Die Cast Aluminum

A+
3000K



HELENA

wall

Orientation wall light with opal diffuser or directed down light. Very convenient built-on installation. Thickness of the luminaire is not more than 30mm. No more hassle to make a hole in your garden walls.



5191601118

CLASS I CE
IP54
LED 10.5W
400 Lumen
Die Cast Aluminum

A+



5191602118

CLASS I CE
IP54
LED 10.5W
400 Lumen
Die Cast Aluminum

A+



BONN


wall & ceiling

This elegant anthracite or stainless steel wall light fits in perfectly with your contemporary outdoor surrounding. It creates a perfect bi-directional light effect on your walls. The small vertical window in the front adds to the character. The traditional E27 fitting is suitable for energy saving bulbs but also for the latest LED retro-fit bulbs.




6330401118
3004 IP

CLASS I CE
IP54
E27 60W
Die Cast Aluminum



6330402001
CT3004


CLASS II CE
IP54
E27 40W
Die Cast Aluminum



BERLIN

recessed ground


Round stainless recessed ground spots creating a nice effect to guide you along your driveway, pathway or terrace. Compact in size yet solid in construction, you can drive over it with a car.



2000kgs

7700511012
77005A GU10

CLASS I CE
IP67
GU10 35W
11W CFL
Die Cast Aluminum
Stainless Steel



7700513012
77005B LED

LED 5W
180 Lumen

A+

4000K



STRATA

recessed ground

Compact recessed spot with opal diffusor creates a homogenous warm white light. For your installation convenience the stainless steel ring can be mounted separately. The limited built-in height makes it very suitable for wooden outdoor terraces.




7704601012

CLASS I CE
IP67
LED 9.2W
320 Lumen
Stainless Steel

A+

3000K



CYDOPS

recessed ground

Super compact stainless steel recessed ground spot with a wide angle. High light efficiency combined with only a shallow recess needed for installation makes this built-in spot perfectly suitable for your wooden terraces.




7704212012
7704212012

CLASS I CE
IP67
LED 8W
580 Lumen
Stainless Steel

A+

4000K



DENVER

recessed ground

Medium size stainless steel ground recessed spot.
Can be built in a paved or unpaved surface.
Features a wide angle and very powerful 1000
lumen light beam.





7704801012

CLASS I CE
IP67
LED 12W
1030 Lumen
Die Cast Aluminum

A+

4000K

Ø140





ARCTIC

recessed ground

Robust, powerful yet compact recessed LED ground spot with a limited build-in depth. This spot can be inclined up to an angle of 75°.

Pick out ornaments, trees and bushes in your garden with a stunning light effect.




7701301012

CLASS I CE
IP67
LED 12.5W
650 Lumen
Die Cast Aluminum

A+

4000K



INTRODUCING OUR COMPANY

40 years of experience

The beginnings of a lighting company

Originally as a national aluminium die-cast factory, we acquired our first experience in outdoor lighting by producing bulkhead lights & classical garden lanterns.

Our quality standards met international standards and the first export shipment was made in 1996.

The new factory in the Far-East Industry park in Yuyao was operational in 2001, concentrating on modern garden & professional lighting resulting from a booming international DIY & ODM demand.

From 2009 a close collaboration with the Design(Pool) had two objectives. To create a stronger offer for the ODM market and to launch a base for our future brand LUTEC.

LUTEC was launched in 2010, focusing on architectural LED lights & introducing Solar Energy studies.

This has resulted in the opening of a second production facility in 2012, fully devoted to future developments.



Nowadays

Lighting is both essential and magic.

The challenge of lighting is to create products which are a balance between the shape impact and attractiveness, and real functional values of use. The LED revolution has completely changed the game, giving us a lot of new opportunities. Added to this we must follow the latest technical innovations but also anticipate and provoke them, especially with solar energy and lighting control processes.

To serve our objectives, we are reinforcing our international network and organisation: central warehouses in Germany and China, establishing partners in new countries, the building of our corporate identity and also developing many different brand supports.

Future is already here

Support the users

In our daily life we are surrounded by interactive and connected products. For many reasons it is evident for the lighting field to embrace this, among which is the ability to organise the light at will: temperature, color, control of the sensors, programming, energy saving and control, interactivity between several light points, security with camera, sound...

Our new APP, running on a smart phone, can help program and control all the information received through our products.



WELCOME TO THE LUTEC CENTER

Connected by lighting

The LUTEC centre is in our HQ in Yuyao. Located on the production site, it is an international meeting place where new concepts are elaborated, innovation & strategies are shared, discussed and studied.



LUTEC

It is true, LUTEC is a young brand but it is built on a strong manufacturing experience. Manufacturing involves imagination and efficiency.

Why we decided to establish a brand?


The brand gives us a needed visibility. The brand allows us to anticipate the market, to make our own choices related to trends and to make developments such as we perceive them through our partners in different countries.

Connected by lighting underlines our intention to develop products in accordance with the final consumers, through all our network and distribution channels.

Now becoming a major player in lighting field, our main objective is to consolidate our offer through creativity, the design which involves a real level of quality and services.



We provide an expert platform in design, sales and services. We have the will to show and experiment different approaches creating choices for the short or medium terms. Staying close to our customers, which by extension also means the final consumers, allows the right design solutions to be found. Our team is trained for being reactive. The key to realize a win-win product is to always explore the possibilities, select and adapt, finding the adapted position.



In our view innovation is always closely linked to a right level of realization.

DESIGN & ENGINEERING

Design, engineering & manufacturing, all interactive.

One of the main decision we have taken in the LUTEC organisation is to break the walls between the different integrated services concerned by our product strategy. We have installed a culture of flowing communication between the services where everybody has a positive role to play in all projects. It works because we consider that we are all concerned in the success of a product.



We know that whatever the project it is complex and a number of obstacles have to be got through. To be as perfect as possible means working together: knowledge has to be shared at all levels. Creativity, marketing, engineering, production, communication, sales are all one and the same, totally linked.



WAREHOUSING & TRANSPORT

Global logistic footprint assuring availability & proximity.



Today, we stock all A-items (150 sku's with high rotation) in the China Central Warehouse. (CCW). In this way we can guarantee an immediate shipment from the Ningbo harbor all over the world. The B & C items are made to order with a clever spareparts replenish system behind.

CCW
China Central Warehouse
Yuyao - China

ECW
European Central Warehouse
Bornem - Belgium



Since 2014, the European Central Warehouse is fully operational. This warehouse was recently transferred from Germany to Belgium, centrally situated in Europe and operated by our logistic partner ACTIUS.

Now we've also the possibility to assure different value adding services in the ECW. With a standard lead time of 1 week for all shipments to whatever place in Europe, the LUTEC articles are always within reach.



We can offer different transport options: direct shipment, cross docking or pick-up, in close cooperation with our local Sales Cy & Distributors.

Actually the ECW-portfolio contains the 200 best-running sku's.



With the LUTEC App, our Partners can consult in real time the stock situation in the CCW & ECW, plus the incoming shipments. This will lead to transparent and complete info towards our customers.

LUTEC Quality

As a global supplier, our products are fully compliant with all technical & quality requirements of the different regions in the world.



All LUTEC LED articles benefit from a 5-years functional warranty. For the SOLAR range we apply a standard 2-years operational warranty.

The warranty conditions can be consulted on our website. www.lutec.com/warranty



Integrated LED Light-engines

We apply in our designs the most appropriate LED light engine. Thanks to the in-house engineering and manufacturing in combination with a good relation with A-brand component suppliers, we're constantly improving the performance of the total LED-module. This results in a higher lumen/watt ratio but also in an improvement of the lumen/dollar ratio.

Low Energy Cost : -80% Energy consumption vs traditional lightsources

Long Lifetime : up to 20.000 hours

LUTEC LED-light engines featuring the most appropriate characteristics in order to give the best result for all your outdoor applications.



The LED driver is the heart of the LED module and is the main influencer of the life-time. At LUTEC we develop these drivers according the engineering & design requirements. The manufacturing of the SMD's of these LUTEC-drivers is done on the in-house approved SMT assembly lines. In some cases we apply also drivers of A-brand suppliers. All drivers are compliant to all standard requirements and regulations. UL – GS- EMC-FCC-ERP

The LUTEC products are manufactured at the 100% controlled own production facilities and fully tested at the in-house approved lab



LUTEC works only with famous A-brand LED suppliers and strict requirements.


- Lumen Maintenance in time : 100% LM-80 test report
- Color deviation: 100% under 5-step MacAdam ellipse
- ERP compliant



The Light Color or Color Temperature in Kelvin (K) gives a clear indication about "whiteness" of the LED light.

Standard we apply the **4000K Daylight**. For most fixtures with diffuse light and vintage look a **3000K Warm White light** is installed. The more functional work & security projectors have an integrated LED source with a **5000K Cool White light**.

Color Temperature in Kelvin Scale




The **Color Rendering Index (CRI)** gives on a 0-100 scale an indication the color accuracy.

Determining the ability of the light source to reveal the colors of the object faithfully in comparison with a natural light source. In all LUTEC fixtures we apply a CRI of minimum 80%. For Outdoor applications this is a more than satisfying level.

Brightness	220+	400+	700+	900+	1300+
Standard	25 W	40 W	60 W	75 W	100 W
Halogen	18 W	28 W	42 W	53 W	70 W
CFL	6 W	9 W	12 W	15 W	20 W
LED	4 W	6 W	10 W	13 W	18 W


The **Luminous Flux** of an Outdoor fixture indicated in an nbr of **Lumen**. (lm) is the total amount of light which comes out of the fixture in all directions. It gives a good measure of the **brightness** you can expect. This Lumen indication replaces on a clearer manner the previously used wattage.



The Luminous Efficacy in Lumens/Watt gives a good measure of the optimal conversion of the electrical power into useful light. This is an important parameter with direct impact on the electric energy cost for your installation. Thanks to the continuous developments the LED solution is already today one of the most efficient light technologies. The Luminous Efficacy is one of the main parameters for the determination of the Energy Efficiency class.

According to the EU regulation no 874/2012, about energy labelling of electrical lamps and luminaires, it's required that the consumers are informed about the Energy Efficiency class.

For all LUTEC articles this information is available on our website www.lutec.net.



All the LUTEC LED- fixtures featuring an **Energy Efficiency class A+** or better.

Materials & finishes

For all LUTEC luminaires we apply the most appropriate high quality materials & finishes, all with an excellent weather proofness & mechanical strength to ensure a long lifetime.

Heavy duty die-cast Aluminum type ADC 12. Thickness of 2mm and a very good compactness, no air holes inside. In house fully automatic powder-coating & water painting-installation giving a perfect protection against corrosion.

LUTEC benefits from an in-house tooling workshop both for aluminum & synthetic components. This great asset & experience assures a high quality production.

Different types of **premium Stainless Steel**.

For the ground recessed spots : 304 & 316 standards. For the wall & bollard versions : 201 & 202.

Electrophoretic painting resulting in an extra protection layer.

Different kind of **durable synthetics**, depending on the application and form factors. For the fixtures: in most cases ABS, this is a strong, light-weighted material and can be used under low and high outdoor temperatures. For the diffusers: the impact proof and very resistant PC (polycarbonate) is used in opal or transparent version. Also clear glass, tempered glass and opal or clear PMMA (plexi-glass) are common in our designs.



IP rating Table

Protection against solids		Protection against liquids	
0	Not Protected	0	Not Protected
1	Protected against Solid Objects greater than 50mm	1	Protected against Dripping Water
2	Protected against Solid Objects greater than 12mm	2	Protected against Dripping Water when tilted to 15°
3	Protected against Solid Objects greater than 2.5mm	3	Protected against Spraying Water
4	Protected against Solid Objects greater than 1mm	4	Protected against Splashing Water
5	Dust Protected	5	Protected against Water Jets
6	Dust Tight	6	Protected against Heavy Seas
		7	Protected against the effects of Immersion
		8	Protected against Submersion

The LUTEC Outdoor fixture comply to the International standards concerning **Ingress Protection**. All articles have a minimum IP44 rate. For some specific applications (Ex. in ground recessed spots) the protection rate goes up to IP67.

Mounting, installation & maintenance

LUTEC pays a lot of attention to a consumer friendly mounting and foresee a variety of application possibilities, enhanced by specific & clever user-interfaces. Every LUTEC Outdoor fixture has a clear **instruction manual**. The mounting and the installation is easy and fast. No specific tools are needed.

Service network available on global level through LUTEC Partners.

Contact details: www.lutec.com/services/global-network



SECURITYLIGHT
connected camera concept

ESA 6255-CAM

LUTEC
CONNECTED BY LIGHTING

«When light meets a camera, when light means security»

Service:


LUTEC in FRANCE +33-04-75602398	LUTEC in UK +44 (0) 1902-706870	LUTEC in ITALY +39-031-3551942
LUTEC in SPAIN +34-95-5081221	LUTEC in BNL +37-00-4-544-01-00	LUTEC in HUNGARY +36-30-7737952
LUTEC in ROMANIA +40-234-962-452	LUTEC in RUSSIA +7-499-5091529	LUTEC in GREECE +30-2104202046
LUTEC in UKRAINE +38-044-496-74-83	LUTEC in DACH-ECOLIGHT Leuchten GmbH +49-238-9691000 Bucheler Weg 37 · D-53347 Alflar	

LUTEC Europe NV
Ruisbroekweg 14 B-2030 Brasschaat - Belgium
+32-3-284 51 62
For more information, please visit:
www.lutec.com/services/global-network

LUTEC
CONNECTED BY LIGHTING

Color Indication

Code	Color Indication
gr	Anthracite Grey
si	Silver Grey
ss	Stainless Steel
wh	White
bl	Black
grn	Green
or	Orange
prp	Purple
ye	Yellow
br	Black-Rust



For a convenient multi-installation of the outdoor lights, a loop in- loop out for the electrical cable connection is foreseen in most of the articles.



The LUTEC corporate identity has been reinforced with the constant implementation of a new visual identity and brand strategy.

New trade support tools are developed and used by our customers, creating an added value and differentiation versus our competitors.

LUTEC packaging



The new LUTEC packaging is now fully implemented over the complete portfolio. The look of the packaging is fresh and vivid giving the consumer immediately the right information and inspiration.

The product is the leader and gets the full attention with a clear picture. The renewed LUTEC logo covers all angles in the top corner, resulting in a uniform and clear brand recognition. The most relevant decision making characteristics are shown in big size on the front, top and second side. In this way the packaging is suitable to any position in the shelves. On the back side the complete technical information is shown in a logical and clear way.



LUTEC rich content

We have created a large database with all kind of "rich content": Atmosphere pictures, Video's ,Tutorials,...This can be used for all kind of commercial & advertorial purposes. Also on-line pages will get in this way the complete & dynamic content to inform & inspire the consumers about the LUTEC propositions.



Security Light Video

Mini Butterfly Video

Sunconnect Video

LUTEC in store support

Based on consumer insights and requests from our customers, we're proposing a large number of in store support tools. Always starting from the same idea : the product is king, the consumer should be guided in a clear way facilitating his selection in a convenient way.

Carton Promo-displays, easy to install, fully pre-packed with an informative top card.



Action displays for promo-zones, including an attractive expo-board indicating the major characteristics plus a mounted and lighted product sample.



LUTEC introduces **SHOP in SHOP**

SHOP in SHOP shows the possibility, within our ranges, to build a complete and coherent offer for consumers in different outdoor lighting sectors.



Index : as per NEW ITEM NO.

NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE
5002301	LUCA	P84	5604011	FOCUS	P94	6907701	PADLIGHT	P116
5005103	FLAT	P32	5604101	FOCUS	P94	6907901	SOLSTEL	P142
5008101	VIRGO	P82	5605013	FOCUS	P96	6907903	SOLSTEL	P142
5033001	FACE	P34	5605103	FOCUS	P96	6908001	TABLE CUBE	P112
5033002	FACE	P34	5605701	PATH	P90	6908002	TABLE CUBE	P114
5183601	CITY	P52	5605702	PATH	P90	6908003	TABLE CUBE	P112
5183803	DELTA	P54	5605801	PATH	P92	6908501	BRICK	P132
5184301	BOX CUBE	P50	5605802	PATH	P92	6908701	BUBBLE	P136
5184601	BOX CUBE	P50	5614401	MINI LEDSPOT	P2	6908901	TWILL	P138
5184901	ORIGO	P48	5614402	MINI LEDSPOT	P2	6910101	NEVADA	P160
5185701	STARRY	P106	5614404	MINI LEDSPOT	P4	6910601	ARROW	P130
5185901	AQUARIUS	P104	5614405	MINI LEDSPOT	P4	6914401	MINI LEDSPOT	P126
5186004	EYES	P58	5616001	EGGO	P12	6914402	MINI LEDSPOT	P126
5186103	EYES	P60	5616302	MERIDIAN	P16	6925601	SUNSHINE	P156
5186202	EVANS	P70	5616304	MERIDIAN	P16	6928201	GLOBE	P178
5186304	EVANS	P70	5616602	ARMOR	P30	6951301	LONDON	P154
5186502	RADIUS	P62	5626001	TRUMPET	P8	7005201	FLAT	P32
5186602	RADIUS	P62	5626002	TRUMPET	P8	7008201	VIRGO	P82
5186803	EYES	P60	6317412	TITAN	P222	7187611	CONE	P20
5186902	PILO	P68	6330401	BONN	P230	7193001	QUBO	P28
5187101	MASK	P66	6330402	BONN	P230	7214603	MINI LEDSPOT	P6
5187601	CONE	P20	6334102	SEINE	P226	7214604	MINI LEDSPOT	P6
5187901	SPLIT	P72	6336101	TITAN	P220	7216103	EGGO	P12
5188103	GHOST	P24	6336201	TITAN	P220	7216412	MERIDIAN	P18
5188201	SANDWY	P64	6338101	SEINE	P224	7216702	ARMOR	P30
5188801	APOLLO	P26	6338201	SEINE	P224	7225222	SPRIL	P22
5189001	GEMINI	P78	6348101	UBLO	P218	7226101	TRUMPET	P8
5189002	GEMINI	P78	6348102	UBLO	P216	7252201	ANDA	P14
5189101	GEMINI	P76	6349101	UBLO	P218	7260311	UNITE	P102
5189102	GEMINI	P74	6349102	UBLO	P216	7260401	UNITE	P102
5189103	GEMINI	P74	6350101	UBLO	P218	7264210	CATE	P110
5189104	GEMINI	P76	6350102	UBLO	P216	7264230	CATE	P110
5189401	EVEN	P36	6609201	EXPLORER	P196	7615601	CORN	P184
5189501	ZERTA	P46	6609202	EXPLORER	P10	7617001	NEGARA	P194
5189601	TONA	P44	6900302	MINI BUTTERFLY	P120	7617002	NEGARA	P194
5189602	TONA	P44	6901101	ZETA	P146	7617003	NEGARA	P194
5189901	SECO	P38	6901201	TILLY	P152	7621902	SHRIMP	P192
5190601	VESTA	P204	6901203	PILLAR	P180	7621903	SHRIMP	P192
5191601	HELENA	P228	6901301	DROP	P150	7622104	SHRIMP	P192
5191602	HELENA	P228	6901401	GHOST SOLAR	P144	7625501	ESA	P198
5192701	LEO	P88	6901501	BREAD	P134	7625601	SUNSHINE	P188
5192801	FACCIA	P42	6901601	SUNSHINE	P158	7629001	PERI	P214
5192901	MITO	P40	6903401	ZERTA	P128	7629301	PERI	P212
5193001	QUBO	P28	6903503	BUMP	P122	7629401	PERI	P186
5193201	LOTUS	P56	6903601	FLAM	P168	7629501	PERI	P186
5225102	SPRIL	P22	6903701	STACK	P174	7629502	PERI	P202
5225302	SPRIL	P22	6903702	STACK	P174	7629701	UTIN	P208
5240101	ZOE	P98	6903801	MINIS	P172	7632201	ARC	P190
5241101	HOM	P108	6903802	MINIS	P172	7632401	LIBRA	P202
5252101	ANDA	P14	6903901	KIWA	P170	7633301	MODO	P210
5260101	UNITE	P100	6903902	KIWA	P170	7700511	BERLIN	P232
5260103	UNITE	P100	6904001	LORD	P124	7700513	BERLIN	P232
5260201	UNITE	P100	6904101	DRAGONFLY	P118	7701301	ARCTIC	P240
5264201	CATE	P110	6904701	HONEY	P176	7704212	CYDOPS	P236
5267101	ELARA	P206	6904801	HONEY DECK	P182	7704601	STRATA	P234
5510805	LUCA	P84	6904901	LOOP DECK	P182	7704801	DENVER	P238
5521201	CRYSTAL	P80	6905201	SPARTA	P165	9700017	GREEN BALL	P166
5521801	BILAYER	P86	6906702	DISO	P140	9700146	GYQ25	P166
5521901	BILAYER	P86	6906703	DISO	P140	9700308	POLE	P148

Index : as per SERIES NAME

NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE
ANDA	5252101	P14	GEMINI	5189103	P74	POLE	9700308	P148
ANDA	7252201	P14	GEMINI	5189101	P76	QUBO	5193001	P28
APOLLO	5188801	P26	GEMINI	5189104	P76	QUBO	7193001	P28
AQUARIUS	5185901	P104	GEMINI	5189001	P78	RADIUS	5186502	P62
ARC	7632201	P190	GEMINI	5189002	P78	RADIUS	5186602	P62
ARCTIC	7701301	P240	GHOST	5188003	P24	SANDWY	5188201	P64
ARMOR	5616602	P30	GHOST SOLAR	6901401	P144	SECO	5189901	P38
ARMOR	7216702	P30	GLOBE	6928201	P178	SEINE	6338101	P224
ARROW	6910601	P130	GREEN BALL	9700017	P166	SEINE	6338201	P224
BERLIN	7700511	P232	GYQ25	9700146	P166	SEINE	6334102	P226
BERLIN	7700513	P232	HELENA	5191601	P228	SHRIMP	7621902	P192
BILAYER	5521801	P86	HELENA	5191602	P228	SHRIMP	7621903	P192
BILAYER	5521901	P86	HOM	5241101	P108	SHRIMP	7622104	P192
BONN	6330401	P230	HONEY	6904701	P176	SOLSTEL	6907901	P142
BONN	6330402	P230	HONEY DECK	6904801	P182	SOLSTEL	6907903	P142
BOX CUBE	5184301	P50	KIWA	6903901	P170	SPARTA	6905201	P165
BOX CUBE	5184601	P50	KIWA	6903902	P170	SPLIT	5187901	P72
BREAD	6901501	P134	LEO	5192701	P88	SPRIL	5225302	P22
BRICK	6908501	P132	LIBRA	7632401	P202	SPRIL	5225102	P22
BUBBLE	6908701	P136	LONDON	6951301	P154	SPRIL	7225222	P22
BUMP	6903503	P122	LOOP DECK	6904901	P182	STACK	6903701	P174
CATE	5264201	P110	LORD	6904001	P124	STACK	6903702	P174
CATE	7264210	P110	LOTUS	5193201	P56	STARRY	5185701	P106
CATE	7264230	P110	LUCA	5002301	P84	STRATA	7704601	P234
CITY	5183601	P52	LUCA	5510805	P84	SUNSHINE	6925601	P156
CONE	5187601	P20	MASK	5187101	P66	SUNSHINE	6901601	P158
CONE	7187611	P20	MERIDIAN	5616302	P16	SUNSHINE	7625601	P188
CORN	7615601	P184	MERIDIAN	5616304	P16	TABLE CUBE	6908001	P112
CRYSTAL	5521201	P80	MERIDIAN	7216412	P18	TABLE CUBE	6908003	P112
CYDOPS	7704212	P236	MINI BUTTERFLY	6900302	P120	TABLE CUBE	6908002	P114
DELTA	5183803	P54	MINI LEDSPOT	5614401	P2	TILLY	6901201	P152
DENVER	7704801	P238	MINI LEDSPOT	5614402	P2	TITAN	6336101	P220
DISO	6906702	P140	MINI LEDSPOT	5614404	P4	TITAN	6336201	P220
DISO	6906703	P140	MINI LEDSPOT	5614405	P4	TITAN	6317412	P222
DRAGONFLY	6904101	P118	MINI LEDSPOT	6914401	P126	TONA	5189601	P44
DROP	6901301	P150	MINI LEDSPOT	6914402	P126	TONA	5189602	P44
EGGO	5616001	P12	MINI LEDSPOT	7214603	P6	TRUMPET	5626001	P8
EGGO	7216103	P12	MINI LEDSPOT	7214604	P6	TRUMPET	5626002	P8
ELARA	5267101	P206	MINIS	6903801	P172	TRUMPET	7226101	P8
ESA	7625501	P198	MINIS	6903802	P172	TWILL	6908901	P138
EVANS	5186202	P70	MITO	5192901	P40	UBLO	6348102	P216
EVANS	5186304	P70	MODO	7633301	P210	UBLO	6349102	P216
EVEN	5189401	P36	NEGARA	7617001	P194	UBLO	6350102	P216
EXPLORER	6609201	P196	NEGARA	7617002	P194	UBLO	6348101	P218
EXPLORER	6609202	P10	NEGARA	7617003	P194	UBLO	6349101	P218
EYES	5186004	P58	NEVADA	6910101	P160	UBLO	6350101	P218
EYES	5186103	P60	ORIGO	5184901	P48	UNITE	5260101	P100
EYES	5186803	P60	PADLIGHT	6907701	P116	UNITE	5260201	P100
FACCIA	5192801	P42	PATH	5605701	P90	UNITE	5260103	P100
FACE	5033001	P34	PATH	5605702	P90	UNITE	7260311	P102
FACE	5033002	P34	PATH	5605801	P92	UNITE	7260401	P102
FLAM	6903601	P168	PATH	5605802	P92	UTIN	7629701	P208
FLAT	5005103	P32	PERI	7629502	P200	VESTA	5190601	P204
FLAT	7005201	P32	PERI	7629401	P186	VIRGO	5008101	P82
FOCUS	5604011	P94	PERI	7629501	P186	VIRGO	7008201	P82
FOCUS	5604101	P94	PERI	7629301	P212	ZERTA	5189501	P46
FOCUS	5605013	P96	PERI	7629001	P214	ZERTA	6903401	P128
FOCUS	5605103	P96	PILLAR	6901203	P180	ZETA	6901101	P146
GEMINI	5189102	P74	PILO	5186902	P68	ZOE	5240101	P98