



TOP SELECTION GARDEN 2020 - MODERN RANGE



**NEW
PRODUCTS**



LIVIA 160
for details see pag.11



ALDO
for details see pag.5



TERESA
for details see pag.7



ABRAM 150
for details see pag.15




LORENZA 150
for details see pag.17



**MADE IN
ITALY**




ALDO pg.5 TERESA pg.7 LIVIA 60 pg.9 LIVIA 90 pg.9 LIVIA 160 pg.11 LIVIA 180 pg.11



NINA pg.13 ABRAM pg.15 LORENZA pg.17

NEW PRODUCTS




CARLO 800 pg.19 CARLO 400 pg.19 CARLO 250 pg.20 CARLO SPIKE pg.20 CARLO WALL pg.21 CARLO-FS pg.21



AMELIA 800 pg.23 AMELIA 400 pg.23 AMELIA 250 pg.23 AMELIA SPIKE pg.23 AMELIA WALL pg.25 AMELIA-FS pg.25




ESTER pg.27 ESTER WALL pg.27 ESTER SPIKE pg.27 ELISA pg.29 ELISA WALL pg.29 ELISA SPIKE pg.29




GABRI REMI-LUCIA pg.31 GABRI REMI-MADDI pg.33 PINELA pg.35

BOLLARD




FRANCA 90 pg.37 FRANCA 90 SPIKE pg.37 FRANCA 90 1L pg.37 FRANCA 90 2L pg.37 MARTA 90 pg.39 MARTA 160 pg.41 FRANCY pg.43 FRANCY-OP pg.43

UP&DOWN



MINITOMMY pg.45 MINITOMMY 2L pg.45 TOMMY pg.47 TOMMY 2L pg.49 GERMANA pg.51 GIUSEPPE pg.53

FLOODLIGHT




CECI 90 pg.55 CECI 120 pg.56 CECI 160 pg.57

IN-GROUND




LETI 100 ROUND pg.59 LETI 100 SQUARE pg.60 LETI 200 pg.61 LETI 300 pg.63 EXTRALETI 100 ROUND pg.59 EXTRALETI 100 SQUARE pg.60 EXTRALETI 200 pg.61 EXTRALETI 300 pg.63

BRICKLIGHT



BERTINA pg.65 BERTA pg.67 UMBERTA pg.69 GELMI pg.73 DANZI pg.75

BULKHEAD



STUCCHI pg.77 CECCHI pg.77 RITA pg.77 LUCIA pg.79 MADDI pg.81



GIORGIO/ROSA pg.83 BEPPE400 pg.85 VIVI400 pg.85

POLE


ALDO

IN-GROUND / RECESSED




111.000.Z1L

IN GROUND INSTALLATION



WALL RECESSED INSTALLATION



ALDO LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
	1,7W	170Lm	100-240V 50/60 Hz	4000K 3000K



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X) BLUE (U) GREEN (N) ORANGE (R)

ALDO

IN GROUND




1,7W 4000K 1L0.000.Z1L
3000K 1L0.000.Z1R



NEW

LED G9 LAMP INCLUDED

Master box: **75pcs**

RECESSED




ALDO 1L

IN GROUND




1,7W 4000K 1L1.000.Z1L
3000K 1L1.000.Z1R



NEW

LED G9 LAMP INCLUDED

Master box: **75pcs**

RECESSED




ALDO 2L

IN GROUND




1,7W 4000K 1L2.000.Z1L
3000K 1L2.000.Z1R



NEW

LED G9 LAMP INCLUDED

Master box: **75pcs**

RECESSED




ALDO SQUARE

IN GROUND




1,7W 4000K 1L4.000.Z1L
3000K 1L4.000.Z1R



NEW

LED G9 LAMP INCLUDED

Master box: **75pcs**

RECESSED




TERESA

DOWNLIGHT / DECKLIGHT


MADE IN ITALY



210.000.Z11



TERESA LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
	1,7W	170Lm	100-240V 50/60 Hz	4000K
				3000K



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X) BLUE (U)
			GREEN (N) ORANGE (R)

TERESA

1,7W	4000K	210.000.Z1L
	3000K	210.000.Z1R

NEW

LED G9 LAMP INCLUDED

Master box: **75pcs**

TERESA SQUARE

1,7W	4000K	214.000.Z1L
	3000K	214.000.Z1R

NEW

LED G9 LAMP INCLUDED

Master box: **75pcs**

TERESA 1L

1,7W	4000K	211.000.Z1L
	3000K	211.000.Z1R

NEW

LED G9 LAMP INCLUDED

Master box: **75pcs**

TERESA 2L

1,7W	4000K	212.000.Z2L
	3000K	212.000.Z1R

NEW

LED G9 LAMP INCLUDED

Master box: **75pcs**

LIVIA RANGE


DOWNLIGHT



2A9.000.U1R



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X)




LIVIA 60 LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
	1,7W	170Lm	100-240V 50/60 Hz	4000K
				3000K

LIVIA 90 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3,5W	350Lm	100-240V 50/60 Hz	4000K	= 50W HALOGEN
				3000K	

LIVIA 60



LED G9 LAMP INCLUDED	1,7W	4000K	1A9.000.Z1L
		3000K	1A9.000.Z1R




NEW

Master box: **75pcs**

LIVIA 90



LED GU10 LAMP INCLUDED	3,5W	4000K	2A9.000.U1L
		3000K	2A9.000.U1R



NEW





Master box: **30pcs**


LIVIA RANGE

DOWNLIGHT



3A9.000.G1L


AVAILABLE COLORS			
RESIN BODY <small>(MOULDED COLOURS)</small>			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X)
			



LIVIA 160 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
GX53	3W	350Lm	100-240V 50/60 Hz	4000K	= 40W INCANDESCENT
				3000K	
GX53	7W	800Lm	100-240V 50/60 Hz	4000K	= 75W INCANDESCENT
				3000K	
GX53	10W	1200Lm	100-240V 50/60 Hz	4000K	= 100W INCANDESCENT
				3000K	


LIVIA 180 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
HIGH POWER LED E27	15W	1500Lm	100-240V 50/60 Hz	4000K	= 50W HQI-SON
				3000K	
HIGH POWER LED E27	30W	3300Lm	100-240V 50/60 Hz	4000K	= 70W HQI-SON
				3000K	

LIVIA 160



LED
GX53
LAMP
INCLUDED

3W	4000K	3A9.000.G1L
	3000K	3A9.000.G1R
7W	4000K	3A9.000.C1L
	3000K	3A9.000.C1R
10W	4000K	3A9.000.D1L
	3000K	3A9.000.D1R



Master box: 18pcs

LIVIA 180



LED
E27
HIGH
POWER
LAMP
INCLUDED

15W	4000K	4A9.000.R1L
	3000K	4A9.000.R1R
30W	4000K	4A9.000.Q1L
	3000K	4A9.000.Q1R



Master box: 12pcs

NEWS 4
BOLLARD 20
UP&DOWN 36
FLOODLIGHT 44
IN-GROUND 54
BRICKLIGHT 58
BULKHEAD 64
POST 82
LAMPS 90

NINA RANGE

RECESSED






△ △


TEMPERATURE RESISTANCE





GLASS



6C1.000.J1L

NINA LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
 R7s LED	4W	400Lm	100-240V 50/60 Hz	4000K 3000K
 R7s LED	8,5W	900Lm	100-240V 50/60 Hz	4000K 3000K
 R7s LED	11W	1200Lm	100-240V 50/60 Hz	4000K 3000K



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

NINA 150



NEW


400 lm

LED R7s LAMP INCLUDED	4W	4000K	6C1.000.J1L
		3000K	6C1.000.J1R




Master box: 50pcs



NINA 190



NEW

900 lm

LED R7s LAMP INCLUDED	8,5W	4000K	7C1.000.K1L
		3000K	7C1.000.K1R

Master box: 50pcs

NINA 270



NEW

1200 lm

LED R7s LAMP INCLUDED	11W	4000K	8C1.000.P1L
		3000K	8C1.000.P1R







Master box: 30pcs

ABRAM RANGE




UP&DOWN




AB1.000.J1R

ABRAM LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
 R7s LED	4W	400Lm	100-240V 50/60 Hz	4000K 3000K
 R7s LED	8,5W	900Lm	100-240V 50/60 Hz	4000K 3000K
 R7s LED	11W	1200Lm	100-240V 50/60 Hz	4000K 3000K



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)
			


ABRAM 150



NEW


400 Lm

LED R7s LAMP INCLUDED	4W	4000K	AB1.000.J1L
		3000K	AB1.000.J1R



Master box: **30pcs**


ABRAM 190



NEW


900 Lm

LED R7s LAMP INCLUDED	8,5W	4000K	AB2.000.K1L
		3000K	AB2.000.K1R



Master box: **30pcs**


ABRAM 270



NEW

1200 Lm

LED R7s LAMP INCLUDED	11W	4000K	AB3.000.P1L
		3000K	AB3.000.P1R



Master box: **14pcs**

LORENZA RANGE




SURFACE








MADE IN ITALY



AS1.000.J1L

LORENZA LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
 R7s LED	4W	400Lm	100-240V 50/60 Hz	4000K 3000K
 R7s LED	8,5W	900Lm	100-240V 50/60 Hz	4000K 3000K
 R7s LED	11W	1200Lm	100-240V 50/60 Hz	4000K 3000K




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)
			

LORENZA 150



LED
R7s
LAMP
INCLUDED

4W	4000K	AS1.000.J1L
	3000K	AS1.000.J1R




Master box: **24pcs**

LORENZA 190



LED
R7s
LAMP
INCLUDED

8,5W	4000K	AS2.000.K1L
	3000K	AS2.000.K1R




Master box: **24pcs**

LORENZA 270



LED
R7s
LAMP
INCLUDED

11W	4000K	AS3.000.P1L
	3000K	AS3.000.P1R



Master box: **14pcs**

CARLO / CARLO DECO

BOLLARD RANGE



MADE IN ITALY



DR1.575






- UV TREATED
- ANTI-SHOCK
- RECYCLABLE
- CE
- IP55
- DOUBLE INSULATION CLASS



DR3.570







DR3.574



CARLO LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 GU10 LED	3,5W	350Lm	100-240V 50/60 Hz	4000K	=  50W HALOGEN
				3000K	








AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)
			





CARLO 800		CARLO 800 DECO			
 <p>LED GU10 LAMP INCLUDED</p>	<p>3,5W 4000K DR1.575.U1L</p> <p>3000K DR1.575.U1R</p>	 <p>LED GU10 LAMP INCLUDED</p>	<p>3,5W 4000K DR3.575.U1L</p> <p>3000K DR3.575.U1R</p>		
	 <p>800</p> <p>100</p> <p>Ø155</p> <p>Master box: 6pcs</p>		 <p>800</p> <p>100</p> <p>Ø155</p> <p>Master box: 6pcs</p>		



CARLO 400		CARLO 400 DECO			
 <p>LED GU10 LAMP INCLUDED</p>	<p>3,5W 4000K DR1.574.U1L</p> <p>3000K DR1.574.U1R</p>	 <p>LED GU10 LAMP INCLUDED</p>	<p>3,5W 4000K DR3.574.U1L</p> <p>3000K DR3.574.U1R</p>		
	 <p>400</p> <p>100</p> <p>Ø155</p> <p>Master box: 12pcs</p>		 <p>400</p> <p>100</p> <p>Ø155</p> <p>Master box: 12pcs</p>		


CARLO LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 GU10 LED	3,5W	350Lm	100-240V 50/60 Hz	4000K	 = 50W HALOGEN
				3000K	








CARLO 250		CARLO 250 DECO			
 <p>LED GU10 LAMP INCLUDED</p>	4000K DR1.573.U1L 3,5W 3000K DR1.573.U1R	 <p>LED GU10 LAMP INCLUDED</p>	4000K DR3.573.U1L 3,5W 3000K DR3.573.U1R		
	 <p>100 (width) 250 (height)</p>		 <p>100 (width) 250 (height)</p>		
	Master box: 20pcs		Master box: 20pcs		

CARLO SPIKE		CARLO SPIKE DECO			
 <p>LED GU10 LAMP INCLUDED</p>	4000K DR1.572.U1L 3,5W 3000K DR1.572.U1R	 <p>LED GU10 LAMP INCLUDED</p>	4000K DR3.572.U1L 3,5W 3000K DR3.572.U1R		
	 <p>100 (width) 250 (height) 180 (spike height)</p>		 <p>100 (width) 250 (height) 180 (spike height)</p>		
	Master box: 20pcs		Master box: 20pcs		

CARLO LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 GU10 LED	3,5W	400Lm	100-240V 50/60 Hz	4000K	=  50W HALOGEN
				3000K	



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)
			

CARLO WALL	CARLO WALL DECO
<p>LED GU10 LAMP INCLUDED</p> 	<p>LED GU10 LAMP INCLUDED</p> 
<p>3,5W 4000K DR1.570.U1L 3000K DR1.570.U1R</p> <p>3,5W 4000K DR3.570.U1L 3000K DR3.570.U1R</p>	
	
Master box: 20pcs	Master box: 20pcs






CARLO-FS	CARLO-FS DECO
<p>LED GU10 LAMP INCLUDED</p> 	<p>LED GU10 LAMP INCLUDED</p> 
<p>3,5W 4000K DR1.571.U1L 3000K DR1.571.U1R</p> <p>3,5W 4000K DR3.571.U1L 3000K DR3.571.U1R</p>	
	
Master box: 20pcs	Master box: 20pcs


AMELIA

BOLLARD RANGE




DR2.575

AMELIA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 FILAMENT LED E27	6W	800Lm	100-240V 50/60 Hz	4000K 2700K	 60W INCANDESCENT
	8W	1000Lm	100-240V 50/60 Hz	4000K 2700K	 75W INCANDESCENT
 FILAMENT LED E27 (A70)	12W	1500Lm	100-240V 50/60 Hz	4000K 2700K	 100W INCANDESCENT




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

AMELIA 800




LED FILAMENT LAMP INCLUDED

6W	4000K 2700K	DR2.575.F1L DR2.575.F1R
8W	4000K 2700K	DR2.575.M1L DR2.575.M1R
12W	4000K 2700K	DR2.575.N1L DR2.575.N1R




Master box: **6pcs**

AMELIA 400



LED FILAMENT LAMP INCLUDED

6W	4000K 2700K	DR2.574.F1L DR2.574.F1R
8W	4000K 2700K	DR2.574.M1L DR2.574.M1R
12W	4000K 2700K	DR2.574.N1L DR2.574.N1R



Master box: **12pcs**

AMELIA 250




LED FILAMENT LAMP INCLUDED

6W	4000K 2700K	DR2.573.F1L DR2.573.F1R
8W	4000K 2700K	DR2.573.M1L DR2.573.M1R
12W	4000K 2700K	DR2.573.N1L DR2.573.N1R




Master box: **20pcs**

AMELIA SPIKE



LED FILAMENT LAMP INCLUDED

6W	4000K 2700K	DR2.572.F1L DR2.572.F1R
8W	4000K 2700K	DR2.572.M1L DR2.572.M1R
12W	4000K 2700K	DR2.572.N1L DR2.572.N1R








Master box: **20pcs**


AMELIA





WALL LAMP RANGE




DR2.570

AMELIA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 FILAMENT LED E27	6W	800Lm	100-240V 50/60 Hz	4000K 2700K	 60W INCANDESCENT
	8W	1000Lm	100-240V 50/60 Hz	4000K 2700K	 75W INCANDESCENT
 FILAMENT LED E27 (A70)	12W	1500Lm	100-240V 50/60 Hz	4000K 2700K	 100W INCANDESCENT




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

AMELIA WALL




POWER	COLOUR TEMPERATURE	MODEL
6W	4000K 2700K	DR2.570.F1L DR2.570.F1R
8W	4000K 2700K	DR2.570.M1L DR2.570.M1R
12W	4000K 2700K	DR2.570.N1L DR2.570.N1R

LED
FILAMENT
LAMP
INCLUDED




Master box: **20pcs**

AMELIA-FS



POWER	COLOUR TEMPERATURE	MODEL
6W	4000K 2700K	DR2.571.F1L DR2.571.F1R
8W	4000K 2700K	DR2.571.M1L DR2.571.M1R
12W	4000K 2700K	DR2.571.N1L DR2.571.N1R

LED
FILAMENT
LAMP
INCLUDED



Master box: **20pcs**

ESTER

BOLLARD RANGE










MADE IN ITALY







DS1.564




ESTER LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 GX53	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	 40W INCANDESCENT
 GX53	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	 75W INCANDESCENT
 GX53	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT




AVAILABLE COLORS			
RESIN BODY + STEPPED REFLECTOR (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)
			

ESTER 800




LED
GX53
LAMP
INCLUDED

3W	4000K 3000K	DS1.564.G1L DS1.564.G1R
7W	4000K 3000K	DS1.564.C1L DS1.564.C1R
10W	4000K 3000K	DS1.564.D1L DS1.564.D1R




Master box: **6pcs**

ESTER 500



LED
GX53
LAMP
INCLUDED

3W	4000K 3000K	DS1.563.G1L DS1.563.G1R
7W	4000K 3000K	DS1.563.C1L DS1.563.C1R
10W	4000K 3000K	DS1.563.D1L DS1.563.D1R



Master box: **12pcs**

ESTER WALL




LED
GX53
LAMP
INCLUDED

3W	4000K 3000K	DS1.560.G1L DS1.560.G1R
7W	4000K 3000K	DS1.560.C1L DS1.560.C1R
10W	4000K 3000K	DS1.560.D1L DS1.560.D1R




Master box: **18pcs**

ESTER SPIKE



LED
GX53
LAMP
INCLUDED

3W	4000K 3000K	DS1.561.G1L DS1.561.G1R
7W	4000K 3000K	DS1.561.C1L DS1.561.C1R
10W	4000K 3000K	DS1.561.D1L DS1.561.D1R



Master box: **18pcs**

ELISA







BOLLARD RANGE








MADE IN ITALY



DS2.564

ELISA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 GX53	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	 40W INCANDESCENT
 GX53	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	 75W INCANDESCENT
 GX53	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT





AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)
			
WITH WHITE RESIN REFLECTOR			

ELISA 800

LED
GX53
LAMP
INCLUDED

3W	4000K 3000K	DS2.564.G1L DS2.564.G1R
7W	4000K 3000K	DS2.564.C1L DS2.564.C1R
10W	4000K 3000K	DS2.564.D1L DS2.564.D1R






Master box: **6pcs**

ELISA 500

LED
GX53
LAMP
INCLUDED

3W	4000K 3000K	DS2.563.G1L DS2.563.G1R
7W	4000K 3000K	DS2.563.C1L DS2.563.C1R
10W	4000K 3000K	DS2.563.D1L DS2.563.D1R






Master box: **12pcs**

ELISA WALL

LED
GX53
LAMP
INCLUDED

3W	4000K 3000K	DS2.560.G1L DS2.560.G1R
7W	4000K 3000K	DS2.560.C1L DS2.560.C1R
10W	4000K 3000K	DS2.560.D1L DS2.560.D1R






Master box: **18pcs**

ELISA SPIKE

LED
GX53
LAMP
INCLUDED

3W	4000K 3000K	DS2.561.G1L DS2.561.G1R
7W	4000K 3000K	DS2.561.C1L DS2.561.C1R
10W	4000K 3000K	DS2.561.D1L DS2.561.D1R

Master box: **18pcs**


GABRI-MINIGABRI REMI/LUCIA

BOLLARD




1R3.613.X10

LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	150W INCANDESCENT




AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)
OPAL (Y)		

GABRI REMI/LUCIA 1L




E27	1R3.613.X10.E27	2R3.613.X10.E27	3R3.613.X10.E27
GX53 LED 7W	4000K	1R3.613.X10.A1L	2R3.613.X10.A1L
	3000K	1R3.613.X10.A1R	2R3.613.X10.A1R
GX53 LED 11W	4000K	1R3.613.X10.B1L	2R3.613.X10.B1L
	3000K	1R3.613.X10.B1R	2R3.613.X10.B1R
GX53 LED 18W	4000K	1R3.613.X10.E1L	2R3.613.X10.E1L
	3000K	1R3.613.X10.E1R	2R3.613.X10.E1R

GABRI REMI/LUCIA 2L




E27	1R3.613.X20.E27	2R3.613.X20.E27	3R3.613.X20.E27
GX53 LED 7W	4000K	1R3.613.X20.A1L	2R3.613.X20.A1L
	3000K	1R3.613.X20.A1R	2R3.613.X20.A1R
GX53 LED 11W	4000K	1R3.613.X20.B1L	2R3.613.X20.B1L
	3000K	1R3.613.X20.B1R	2R3.613.X20.B1R
GX53 LED 18W	4000K	1R3.613.X20.E1L	2R3.613.X20.E1L
	3000K	1R3.613.X20.E1R	2R3.613.X20.E1R

MINIGABRI REMI/LUCIA 1L



E27	1R3.612.X10.E27	2R3.612.X10.E27	3R3.612.X10.E27
GX53 LED 7W	4000K	1R3.612.X10.A1L	2R3.612.X10.A1L
	3000K	1R3.612.X10.A1R	2R3.612.X10.A1R
GX53 LED 11W	4000K	1R3.612.X10.B1L	2R3.612.X10.B1L
	3000K	1R3.612.X10.B1R	2R3.612.X10.B1R
GX53 LED 18W	4000K	1R3.612.X10.E1L	2R3.612.X10.E1L
	3000K	1R3.612.X10.E1R	2R3.612.X10.E1R

MINIGABRI REMI/LUCIA 2L



E27	1R3.612.X20.E27	2R3.612.X20.E27	3R3.612.X20.E27
GX53 LED 7W	4000K	1R3.612.X20.A1L	2R3.612.X20.A1L
	3000K	1R3.612.X20.A1R	2R3.612.X20.A1R
GX53 LED 11W	4000K	1R3.612.X20.B1L	2R3.612.X20.B1L
	3000K	1R3.612.X20.B1R	2R3.612.X20.B1R
GX53 LED 18W	4000K	1R3.612.X20.E1L	2R3.612.X20.E1L
	3000K	1R3.612.X20.E1R	2R3.612.X20.E1R

GABRI-MINIGABRI REMI/MADDI

BOLLARD




MADE IN ITALY



1V3.613.X10

LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	150W INCANDESCENT



AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)
OPAL (Y)		

GABRI REMI/MADDI 1L							
		MADDI 1V3 MADDI+VE 2V3 MADDI+HL 3V3					
			E27	1V3.613.X10.E27	2V3.613.X10.E27	3V3.613.X10.E27	
			GX53 LED 7W	4000K	1V3.613.X10.A1L	2V3.613.X10.A1L	3V3.613.X10.A1L
				3000K	1V3.613.X10.A1R	2V3.613.X10.A1R	3V3.613.X10.A1R
			GX53 LED 11W	4000K	1V3.613.X10.B1L	2V3.613.X10.B1L	3V3.613.X10.B1L
				3000K	1V3.613.X10.B1R	2V3.613.X10.B1R	3V3.613.X10.B1R
			GX53 LED 18W	4000K	1V3.613.X10.E1L	2V3.613.X10.E1L	3V3.613.X10.E1L
				3000K	1V3.613.X10.E1R	2V3.613.X10.E1R	3V3.613.X10.E1R

GABRI REMI/MADDI 2L							
		MADDI 1V3 MADDI+VE 2V3 MADDI+HL 3V3					
			E27	1V3.613.X20.E27	2V3.613.X20.E27	3V3.613.X20.E27	
			GX53 LED 7W	4000K	1V3.613.X20.A1L	2V3.613.X20.A1L	3V3.613.X20.A1L
				3000K	1V3.613.X20.A1R	2V3.613.X20.A1R	3V3.613.X20.A1R
			GX53 LED 11W	4000K	1V3.613.X20.B1L	2V3.613.X20.B1L	3V3.613.X20.B1L
				3000K	1V3.613.X20.B1R	2V3.613.X20.B1R	3V3.613.X20.B1R
			GX53 LED 18W	4000K	1V3.613.X20.E1L	2V3.613.X20.E1L	3V3.613.X20.E1L
				3000K	1V3.613.X20.E1R	2V3.613.X20.E1R	3V3.613.X20.E1R

MINIGABRI REMI/MADDI 1L							
		MADDI 1V3 MADDI+VE 2V3 MADDI+HL 3V3					
			E27	1V3.612.X10.E27	2V3.612.X10.E27	3V3.612.X10.E27	
			GX53 LED 7W	4000K	1V3.612.X10.A1L	2V3.612.X10.A1L	3V3.612.X10.A1L
				3000K	1V3.612.X10.A1R	2V3.612.X10.A1R	3V3.612.X10.A1R
			GX53 LED 11W	4000K	1V3.612.X10.B1L	2V3.612.X10.B1L	3V3.612.X10.B1L
				3000K	1V3.612.X10.B1R	2V3.612.X10.B1R	3V3.612.X10.B1R
			GX53 LED 18W	4000K	1V3.612.X10.E1L	2V3.612.X10.E1L	3V3.612.X10.E1L
				3000K	1V3.612.X10.E1R	2V3.612.X10.E1R	3V3.612.X10.E1R

MINIGABRI REMI/MADDI 2L							
		MADDI 1V3 MADDI+VE 2V3 MADDI+HL 3V3					
			E27	1V3.612.X20.E27	2V3.612.X20.E27	3V3.612.X20.E27	
			GX53 LED 7W	4000K	1V3.612.X20.A1L	2V3.612.X20.A1L	3V3.612.X20.A1L
				3000K	1V3.612.X20.A1R	2V3.612.X20.A1R	3V3.612.X20.A1R
			GX53 LED 11W	4000K	1V3.612.X20.B1L	2V3.612.X20.B1L	3V3.612.X20.B1L
				3000K	1V3.612.X20.B1R	2V3.612.X20.B1R	3V3.612.X20.B1R
			GX53 LED 18W	4000K	1V3.612.X20.E1L	2V3.612.X20.E1L	3V3.612.X20.E1L
				3000K	1V3.612.X20.E1R	2V3.612.X20.E1R	3V3.612.X20.E1R


PINELA-MINIPINELA

BOLLARD




2N1.613.010

GERMANA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
2x GX53	2x3W 6W	700Lm	100-240V 50/60 Hz	4000K 3000K	= 75W INCANDESCENT
2x GX53	2x7W 14W	1600Lm	100-240V 50/60 Hz	4000K 3000K	= 100W INCANDESCENT
2x GX53	2x10W 20W	2400Lm	100-240V 50/60 Hz	4000K 3000K	= 150W INCANDESCENT




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

PINELA 1L




E27		2N1.613.010.P27
2x3W 6W	4000K	2N1.613.010.G2L
	3000K	2N1.613.010.G2R
2x7W 14W	4000K	2N1.613.010.C2L
	3000K	2N1.613.010.C2R
2x10W 20W	4000K	2N1.613.010.D2L
	3000K	2N1.613.010.D2R

PINELA 2L




E27		2N1.613.020.P27
2x 6W	4000K	2N1.613.020.G2L
	3000K	2N1.613.020.G2R
2x 14W	4000K	2N1.613.020.C2L
	3000K	2N1.613.020.C2R
2x 20W	4000K	2N1.613.020.D2L
	3000K	2N1.613.020.D2R

MINIPINELA 1L



E27		2N1.612.010.P27
2x3W 6W	4000K	2N1.612.010.G2L
	3000K	2N1.612.010.G2R
2x7W 14W	4000K	2N1.612.010.C2L
	3000K	2N1.612.010.C2R
2x10W 20W	4000K	2N1.612.010.D2L
	3000K	2N1.612.010.D2R

MINIPINELA 2L







E27		2N1.612.020.P27
2x 6W	4000K	2N1.612.020.G2L
	3000K	2N1.612.020.G2R
2x 14W	4000K	2N1.612.020.C2L
	3000K	2N1.612.020.C2R
2x 20W	4000K	2N1.612.020.D2L
	3000K	2N1.612.020.D2R


FRANCA 90








UP&DOWN



3A7.002.U1L

FRANCA 90 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 GU10 LED	3,5W	350Lm	100-240V 50/60 Hz	4000K 3000K	=  50W HALOGEN
2x  GU10 LED	2x 3,5W 7W	700Lm	100-240V 50/60 Hz	4000K 3000K	=  2x 50W HALOGEN



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X) BLUE (U) GREEN (N) ORANGE (R)
			   

FRANCA 90

LED GU10 LAMP INCLUDED	3,5W	4000K 3A7.000.U1L	3000K 3A7.000.U1R
------------------------	-------------	-------------------	-------------------




Master box: **30pcs**

FRANCA 90 SPIKE

LED GU10 LAMP INCLUDED	3,5W	4000K 3A7.001.U1L	3000K 3A7.001.U1R
------------------------	-------------	-------------------	-------------------




Master box: **30pcs**

FRANCA 90-1L WALL



LED GU10 LAMP INCLUDED	3,5W	4000K 3A7.002.U1L	3000K 3A7.002.U1R
------------------------	-------------	-------------------	-------------------




Master box: **30pcs**

FRANCA 90-2L WALL

LED GU10 LAMP INCLUDED	3,5W	4000K 3A7.003.U2L	3000K 3A7.003.U2R
------------------------	-------------	-------------------	-------------------





Master box: **20pcs**

MARTA 90








UP&DOWN



2A4.000

MARTA 90 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 GU10 LED	3,5W	350Lm	100-240V 50/60 Hz	4000K 3000K	=  50W HALOGEN
2x  GU10 LED	2x 3,5W 7W	700Lm	100-240V 50/60 Hz	4000K 3000K	=  2x 50W HALOGEN




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
			FROSTED (X)  BLUE (U)  GREEN (N)  ORANGE (R) 

MARTA90 1L




LED
GU10
LAMP
INCLUDED

3,5W	4000K	1A4.000.U1L
3000K		1A4.000.U1R




Master box: **36pcs**

MARTA90 2L



LED
GU10
LAMP
INCLUDED

2x3,5W	4000K	2A4.000.U2L
7W	3000K	2A4.000.U2R



Master box: **36pcs**

MARTA 160









UP&DOWN










MADE IN ITALY



1A6.000

MARTA160 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
MARTA160 1L 	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	 40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	 75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
MARTA160 2L 	2x3W 6W	700Lm	100-240V 50/60 Hz	4000K 3000K	 2x40W INCANDESCENT
	2x7W 14W	1600Lm	100-240V 50/60 Hz	4000K 3000K	 2x75W INCANDESCENT
	2x10W 20W	2400Lm	100-240V 50/60 Hz	4000K 3000K	 2x100W INCANDESCENT




AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
 BLACK (A)  GREY (L)  WHITE (W)	 FROSTED (X)  BLUE (U)  GREEN (N)  ORANGE (R)

MARTA160 1L




LED
GX53
LAMP
INCLUDED

E27		1A6.000.E27
3W	4000K 3000K	1A6.000.G1L 1A6.000.G1R
7W	4000K 3000K	1A6.000.C1L 1A6.000.C1R
10W	4000K 3000K	1A6.000.D1L 1A6.000.D1R




Master box: **18pcs**

MARTA160 2L



LED
GX53
LAMP
INCLUDED


2x3W 6W	4000K 3000K	2A6.000.G2L 2A6.000.G2R
2x7W 14W	4000K 3000K	2A6.000.C2L 2A6.000.C2R
2x10W 20W	4000K 3000K	2A6.000.D2L 2A6.000.D2R



Master box: **18pcs**


FRANCY

UP&DOWN



1A1.000.F1R

FRANCY LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 FILAMENT LED E27	6W	800Lm	100-240V 50/60 Hz	4000K	 = 60W INCANDESCENT
				2700K	
 2x 3W 6W	6W	700Lm	100-240V 50/60 Hz	4000K	 = 75W INCANDESCENT
				3000K	




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)


FRANCY



LED FILAMENT LAMP INCLUDED	POWER	COLOUR TEMPERATURE	MODEL
6W	4000K	1A1.000.F1L	
	2700K	1A1.000.F1R	
6W+SENSOR	4000K	1A1.000.S1L	
	2700K	1A1.000.S1R	



AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED




Master box: **24pcs**


FRANCY-OP



LED LAMP INCLUDED	POWER	COLOUR TEMPERATURE	MODEL
6W FILAMENT LED	4000K	2A1.000.F1L	
	2700K	2A1.000.F1R	
2x3W 6W	4000K	2A1.000.G2L	
	3000K	2A1.000.G2R	
E27 WITH SENSOR)))		2A1.000.ES7	
		220-240V	



AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED



Master box: **24pcs**

MINITOMMY





FLOODLIGHT











MADE IN ITALY




1M1.001


MINITOMMY LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3,5W	350Lm	100-240V 50/60 Hz	4000K 3000K	=  50W HALOGEN
2x 	2x 3,5W 7W	700Lm	100-240V 50/60 Hz	4000K 3000K	=  2x 50W HALOGEN




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X) BLUE (U) GREEN (N) ORANGE (R)
			   




MINITOMMY	
LED GU10 LAMP INCLUDED	3,5W 4000K 1M1.000.U1L 3000K 1M1.000.U1R
	
Master box: 30pcs	


MINITOMMY SPIKE	
LED GU10 LAMP INCLUDED	3,5W 4000K 1M1.001.U1L 3000K 1M1.001.U1R
	
Master box: 30pcs	




MINITOMMY-EL	
LED GU10 LAMP INCLUDED	3,5W 4000K 1M2.000.U1L 3000K 1M2.000.U1R
	
Master box: 30pcs	


MINITOMMY-EL SPIKE	
LED GU10 LAMP INCLUDED	3,5W 4000K 1M2.001.U1L 3000K 1M2.001.U1R
	
Master box: 30pcs	




MINITOMMY 2L	
LED GU10 LAMP INCLUDED	2x 3,5W 4000K 3M1.000.U2L 3000K 3M1.000.U2R
	
Master box: 18pcs	

MINITOMMY 2L SPIKE	
LED GU10 LAMP INCLUDED	2x 3,5W 4000K 3M1.001.U2L 3000K 3M1.001.U2R
	
Master box: 18pcs	



MINITOMMY-EL 2L	
LED GU10 LAMP INCLUDED	2x 3,5W 4000K 3M2.000.U2L 3000K 3M2.000.U2R
	
Master box: 18pcs	


MINITOMMY-EL 2L SPIKE	
LED GU10 LAMP INCLUDED	2x 3,5W 4000K 3M2.001.U2L 3000K 3M2.001.U2R
	
Master box: 18pcs	

TOMMY

FLOODLIGHT




MADE IN ITALY



2M1.000

TOMMY LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
GX53	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	40W INCANDESCENT
GX53	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	75W INCANDESCENT
GX53	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X) BLUE (U) GREEN (N) ORANGE (R)



TOMMY-SQ		
LED GX53 LAMP INCLUDED	3W	4000K 5M1.000.G1L 3000K 5M1.000.G1R
	7W	4000K 5M1.000.C1L 3000K 5M1.000.C1R
	10W	4000K 5M1.000.D1L 3000K 5M1.000.D1R
	Master box: 18pcs	

TOMMY-SQ SPIKE		
LED GX53 LAMP INCLUDED	3W	4000K 5M1.001.G1L 3000K 5M1.001.G1R
	7W	4000K 5M1.001.C1L 3000K 5M1.001.C1R
	10W	4000K 5M1.001.D1L 3000K 5M1.001.D1R
	Master box: 18pcs	



TOMMY		
LED GX53 LAMP INCLUDED	3W	4000K 2M1.000.G1L 3000K 2M1.000.G1R
	7W	4000K 2M1.000.C1L 3000K 2M1.000.C1R
	10W	4000K 2M1.000.D1L 3000K 2M1.000.D1R
	Master box: 18pcs	

TOMMY SPIKE		
LED GX53 LAMP INCLUDED	3W	4000K 2M1.001.G1L 3000K 2M1.001.G1R
	7W	4000K 2M1.001.C1L 3000K 2M1.001.C1R
	10W	4000K 2M1.001.D1L 3000K 2M1.001.D1R
	Master box: 18pcs	



TOMMY-EL		
LED GX53 LAMP INCLUDED	3W	4000K 2M2.000.G1L 3000K 2M2.000.G1R
	7W	4000K 2M2.000.C1L 3000K 2M2.000.C1R
	10W	4000K 2M2.000.D1L 3000K 2M2.000.D1R
	Master box: 18pcs	

TOMMY-EL SPIKE		
LED GX53 LAMP INCLUDED	3W	4000K 2M2.001.G1L 3000K 2M2.001.G1R
	7W	4000K 2M2.001.C1L 3000K 2M2.001.C1R
	10W	4000K 2M2.001.D1L 3000K 2M2.001.D1R
	Master box: 18pcs	

TOMMY 2L

FLOODLIGHT




MADE IN ITALY



4M1.001



TOMMY-2L LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
2x GX53	2x3W 6W	700Lm	100-240V 50/60 Hz	4000K 3000K	≡ 75W INCANDESCENT
2x GX53	2x7W 14W	1600Lm	100-240V 50/60 Hz	4000K 3000K	≡ 100W INCANDESCENT
2x GX53	2x10W 20W	2400Lm	100-240V 50/60 Hz	4000K 3000K	≡ 150W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X) BLUE (U) GREEN (N) ORANGE (R)



LED
GX53
LAMP
INCLUDED

TOMMY-SQ 2L		
2x 4000K	6M1.000.G2L	3W 3000K 6M1.000.G2R
2x 4000K	6M1.000.C2L	7W 3000K 6M1.000.C2R
2x 4000K	6M1.000.D2L	10W 3000K 6M1.000.D2R

TOMMY-SQ 2L SPIKE		
2x 4000K	6M1.001.G2L	3W 3000K 6M1.001.G2R
2x 4000K	6M1.001.C2L	7W 3000K 6M1.001.C2R
2x 4000K	6M1.001.D2L	10W 3000K 6M1.001.D2R

Master box: 8pcs

Master box: 8pcs



LED
GX53
LAMP
INCLUDED

TOMMY 2L		
2x 4000K	4M1.000.G2L	3W 3000K 4M1.000.G2R
2x 4000K	4M1.000.C2L	7W 3000K 4M1.000.C2R
2x 4000K	4M1.000.D2L	10W 3000K 4M1.000.D2R

TOMMY 2L SPIKE		
2x 4000K	4M1.001.G2L	3W 3000K 4M1.001.G2R
2x 4000K	4M1.001.C2L	7W 3000K 4M1.001.C2R
2x 4000K	4M1.001.D2L	10W 3000K 4M1.001.D2R

Master box: 8pcs

Master box: 8pcs



LED
GX53
LAMP
INCLUDED

TOMMY-EL 2L		
2x 4000K	4M2.000.G2L	3W 3000K 4M2.000.G2R
2x 4000K	4M2.000.C2L	7W 3000K 4M2.000.C2R
2x 4000K	4M2.000.D2L	10W 3000K 4M2.000.D2R

TOMMY-EL 2L SPIKE		
2x 4000K	4M2.001.G2L	3W 3000K 4M2.001.G2R
2x 4000K	4M2.001.C2L	7W 3000K 4M2.001.C2R
2x 4000K	4M2.001.D2L	10W 3000K 4M2.001.D2R

Master box: 8pcs

Master box: 8pcs

GERMANA FLOODLIGHT



2N1.000



SUPPLIED FULLY PRE-WIRED

2x GX53 LED


E27

E27 + SENSOR



WITH SENSOR)))
220-240V
(.PS7)

GERMANA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
2x GX53	2x3W 6W	700Lm	100-240V 50/60 Hz	4000K 3000K	= 75W INCANDESCENT
2x GX53	2x7W 14W	1600Lm	100-240V 50/60 Hz	4000K 3000K	= 100W INCANDESCENT
2x GX53	2x10W 20W	2400Lm	100-240V 50/60 Hz	4000K 3000K	= 150W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

GERMANA




LED
2x GX53
LAMPS INCLUDED

E27		2N1.000.P27
2x3W 6W	4000K 3000K	2N1.000.G2L 2N1.000.G2R
2x7W 14W	4000K 3000K	2N1.000.C2L 2N1.000.C2R
2x10W 20W	4000K 3000K	2N1.000.D2L 2N1.000.D2R




Master box: 18pcs

GIOVA/GERMANA



LED
2x GX53
LAMPS INCLUDED

E27		2N1.702.P27
2x3W 6W	4000K 3000K	2N1.702.G2L 2N1.702.G2R
2x7W 14W	4000K 3000K	2N1.702.C2L 2N1.702.C2R
2x10W 20W	4000K 3000K	2N1.702.D2L 2N1.702.D2R



Master box: 18pcs








MADE IN ITALY








4P2.000

SUPPLIED FULLY PRE-WIRED


GX53 LED	GX53 LED + SENSOR	4x GX53 LED	2x E27	2x E27 + SENSOR
	<p>WITH SENSOR))) (220-240V) 7W 4000K (.ASL) 7W 3000K (.ASR) 11W 4000K (.BSL) 11W 3000K (.BSR) 18W 4000K (.ESL) 18W 3000K (.ESR)</p>			<p>WITH SENSOR))) (220-240V (.ES8))</p>

GIUSEPPE LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	=  60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	=  100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	=  150W INCANDESCENT
	4x7W 28W	3200Lm	100-240V 50/60 Hz	4000K 3000K	=  70W HQI-SON
	4x10W 40W	4800Lm	100-240V 50/60 Hz	4000K 3000K	=  100W HQI-SON





AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
			
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

GIUSEPPE



LED
GX53
LAMPS
INCLUDED

	2x E27	4P2.000.E28
7W	4000K 3000K	4P1.000.A1L 4P1.000.A1R
11W	4000K 3000K	4P1.000.B1L 4P1.000.B1R
18W	4000K 3000K	4P1.000.E1L 4P1.000.E1R
4x7W 28W	4000K 3000K	4P2.000.C4L 4P2.000.C4R
4x10W 40W	4000K 3000K	4P2.000.D4L 4P2.000.D4R

Master box: 10pcs

GIOVA/GIUSEPPE



LED
GX53
LAMPS
INCLUDED

	2x E27	4P2.702.E28
7W	4000K 3000K	4P1.702.A1L 4P1.702.A1R
11W	4000K 3000K	4P1.702.B1L 4P1.702.B1R
18W	4000K 3000K	4P1.702.E1L 4P1.702.E1R
4x7W 28W	4000K 3000K	4P2.702.C4L 4P2.702.C4R
4x10W 40W	4000K 3000K	4P2.702.D4L 4P2.702.D4R






Master box: 10pcs


CECI
IN-GROUND




MADE IN
ITALY



CECI 90 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3,5W	400Lm	100-240V 50/60 Hz	4000K 3000K	=  50W HALOGEN





CECI 90




LED
GU10 LAMP INCLUDED

3,5W 4000K 1F1.000.U1L
3000K 1F1.000.U1R


 DRIVE-OVER






Master box: **40pcs**


CECI 90-2L




LED
GU10 LAMP INCLUDED

3,5W 4000K 1F2.000.U1L
3000K 1F2.000.U1R


 DRIVE-OVER






Master box: **40pcs**


CECI 90-3L




LED
GU10 LAMP INCLUDED

3,5W 4000K 1F3.000.U1L
3000K 1F3.000.U1R


 DRIVE-OVER






Master box: **40pcs**


CECI 90-SQ




LED
GU10 LAMP INCLUDED

3,5W 4000K 1F4.000.U1L
3000K 1F4.000.U1R




 DRIVE-OVER













Master box: **40pcs**

AVAILABLE COLORS


COVER (MOULDED COLOURS)	DIFFUSER
<p>BLACK (A) GREY (L)</p>  	<p>FROSTED (X)</p>  <p>BLUE (U) GREEN (N) ORANGE (R)</p>   

CECI 120 LED VERSIONS




LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	 40W INCANDESCENT

CECI 120




LED
GX53 LAMP INCLUDED

3W	4000K	2F1.000.G1L
	3000K	2F1.000.G1R




Master box: **36pcs**

CECI 120-2L




LED
GX53 LAMP INCLUDED

3W	4000K	2F2.000.G1L
	3000K	2F2.000.G1R




Master box: **36pcs**

CECI 120-3L




LED
GX53 LAMP INCLUDED

3W	4000K	2F3.000.G1L
	3000K	2F3.000.G1R




Master box: **36pcs**

CECI 120-SQ




LED
GX53 LAMP INCLUDED

3W	4000K	2F4.000.G1L
	3000K	2F4.000.G1R

Master box: **36pcs**




CECI 160 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
GX53	7W	800Lm	100-240V 50/60 Hz	4000K	= 75W INCANDESCENT
				3000K	
GX53	10W	1200Lm	100-240V 50/60 Hz	4000K	= 100W INCANDESCENT
				3000K	

CECI 160



LED GX53 LAMP INCLUDED	POWER	COLOUR TEMPERATURE	MODEL
7W	3000K	4000K	3F1.000.C1L
		3000K	3F1.000.C1R
10W	3000K	4000K	3F1.000.D1L
		3000K	3F1.000.D1R




Master box: **18pcs**

CECI 160-2L



LED GX53 LAMP INCLUDED	POWER	COLOUR TEMPERATURE	MODEL
7W	3000K	4000K	3F2.000.C1L
		3000K	3F2.000.C1R
10W	3000K	4000K	3F2.000.D1L
		3000K	3F2.000.D1R




Master box: **18pcs**

CECI 160-3L



LED GX53 LAMP INCLUDED	POWER	COLOUR TEMPERATURE	MODEL
7W	3000K	4000K	3F3.000.C1L
		3000K	3F3.000.C1R
10W	3000K	4000K	3F3.000.D1L
		3000K	3F3.000.D1R




Master box: **18pcs**

CECI 160-SQ



LED GX53 LAMP INCLUDED	POWER	COLOUR TEMPERATURE	MODEL
7W	3000K	4000K	3F4.000.C1L
		3000K	3F4.000.C1R
10W	3000K	4000K	3F4.000.D1L
		3000K	3F4.000.D1R



Master box: **18pcs**

4 NEWS
20 BOLLARD
36 UP&DOWN
44 FLOODLIGHT
54 IN-GROUND
58 BRICKLIGHT
64 BULKHEAD
82 POST
90 LAMPS

LETI RANGE

BRICKLIGHT






MADE IN ITALY







2C1.000



LETI/EXTRALETI 100 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	 40W INCANDESCENT



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

LETI 100 ROUND

	LED 3W GX53 LAMP INCLUDED	4000K 2C1.000.G1L
		3000K 2C1.000.G1R



Master box: **48pcs**

EXTRALETI 100 ROUND

	LED 3W GX53 LAMP INCLUDED	4000K 2S1.000.G1L
		3000K 2S1.000.G1R



Master box: **48pcs**

LETI 100 ROUND-GR

	LED 3W GX53 LAMP INCLUDED	4000K 2C2.000.G1L
		3000K 2C2.000.G1R



Master box: **48pcs**

EXTRALETI 100 ROUND-GR

	LED 3W GX53 LAMP INCLUDED	4000K 2S2.000.G1L
		3000K 2S2.000.G1R



Master box: **48pcs**

LETI 100 ROUND-EL

	LED 3W GX53 LAMP INCLUDED	4000K 2C3.000.G1L
		3000K 2C3.000.G1R



Master box: **48pcs**

EXTRALETI 100 ROUND-EL

	LED 3W GX53 LAMP INCLUDED	4000K 2S3.000.G1L
		3000K 2S3.000.G1R



Master box: **48pcs**

LETI 100 ROUND-ST

	LED 3W GX53 LAMP INCLUDED	4000K 2C4.000.G1L
		3000K 2C4.000.G1R





Master box: **48pcs**


EXTRALETI 100 ROUND-ST



	LED 3W GX53 LAMP INCLUDED	4000K 2S4.000.G1L
		3000K 2S4.000.G1R



Master box: **48pcs**

LETI/EXTRALETI 100 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 GX53 LED	3W	350Lm	100-240V 50/60 Hz	4000K	 40W INCANDESCENT
				3000K	



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			


LETI 100 SQUARE



	4000K	3C1.000.G1L
	3000K	3C1.000.G1R




Master box: **48pcs**


EXTRALETI 100 SQUARE



	4000K	3S1.000.G1L
	3000K	3S1.000.G1R

Master box: **48pcs**


LETI 100 SQUARE-GR

	4000K	3C2.000.G1L
	3000K	3C2.000.G1R

Master box: **48pcs**

EXTRALETI 100 SQUARE-GR

	4000K	3S2.000.G1L
	3000K	3S2.000.G1R




Master box: **48pcs**

LETI 100 SQUARE-EL

	4000K	3C3.000.G1L
	3000K	3C3.000.G1R




Master box: **48pcs**

EXTRALETI 100 SQUARE-EL

	4000K	3S3.000.G1L
	3000K	3S3.000.G1R




Master box: **48pcs**

LETI 100 SQUARE-ST

	4000K	3C4.000.G1L
	3000K	3C4.000.G1R




Master box: **48pcs**

EXTRALETI 100 SQUARE-ST

	4000K	3S4.000.G1L
	3000K	3S4.000.G1R




Master box: **48pcs**

LETI/EXTRALETI 200 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K	 40W INCANDESCENT
				3000K	



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

LETI 200

LED 3W GX53 LAMP INCLUDED
3000K

4000K 4C1.000.G1L
3000K 4C1.000.G1R

Master box: **36pcs**

EXTRALETI 200

LED 3W GX53 LAMP INCLUDED
3000K

4000K 4S1.000.G1L
3000K 4S1.000.G1R

Master box: **36pcs**

LETI 200-GL

LED 3W GX53 LAMP INCLUDED
3000K

4000K 4C2.000.G1L
3000K 4C2.000.G1R

Master box: **36pcs**

EXTRALETI 200-GL

LED 3W GX53 LAMP INCLUDED
3000K

4000K 4S2.000.G1L
3000K 4S2.000.G1R

Master box: **36pcs**

LETI 200-RS

LED 3W GX53 LAMP INCLUDED
3000K

4000K 4C3.000.G1L
3000K 4C3.000.G1R

Master box: **36pcs**

EXTRALETI 200-RS

LED 3W GX53 LAMP INCLUDED
3000K

4000K 4S3.000.G1L
3000K 4S3.000.G1R

Master box: **36pcs**

LETI 200-HS

LED 3W GX53 LAMP INCLUDED
3000K

4000K 4C4.000.G1L
3000K 4C4.000.G1R

Master box: **36pcs**

EXTRALETI 200-HS

LED 3W GX53 LAMP INCLUDED
3000K

4000K 4S4.000.G1L
3000K 4S4.000.G1R

Master box: **36pcs**

LETI 200-VP

LED 3W GX53 LAMP INCLUDED
3000K

4000K 4C5.000.G1L
3000K 4C5.000.G1R

Master box: **36pcs**

EXTRALETI 200-VP

LED 3W GX53 LAMP INCLUDED
3000K

4000K 4S5.000.G1L
3000K 4S5.000.G1R

Master box: **36pcs**


LETI 300/EXTRALETI 300



BRICKLIGHT




551.000

NEW SLIMMER BODY VERSION





LETI/EXTRALETI 300 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 2x 3W GX53 LED	2x 3W 6W	700Lm	100-240V 50/60 Hz	4000K	 = 75W INCANDESCENT
				3000K	



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

LETI 300



LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5C1.000.G2L 5C1.000.G2R
E27	5C1.000.E27	

Master box: **24pcs**

EXTRALETI 300



LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5S1.000.G2L 5S1.000.G2R
---------------------------------	----------------	----------------------------

Master box: **20pcs**

LETI 300-GL

LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5C2.000.G2L 5C2.000.G2R
E27	5C2.000.E27	

Master box: **24pcs**

EXTRALETI 300-GL



LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5S2.000.G2L 5S2.000.G2R
---------------------------------	----------------	----------------------------




Master box: **20pcs**

LETI 300-RS



LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5C3.000.G2L 5C3.000.G2R
E27	5C3.000.E27	

Master box: **24pcs**

EXTRALETI 300-RS



LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5S3.000.G2L 5S3.000.G2R
---------------------------------	----------------	----------------------------

Master box: **20pcs**

LETI 300-HS



LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5C4.000.G2L 5C4.000.G2R
E27	5C4.000.E27	

Master box: **24pcs**

EXTRALETI 300-HS



LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5S4.000.G2L 5S4.000.G2R
---------------------------------	----------------	----------------------------

Master box: **20pcs**

LETI 300-VP



LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5C5.000.G2L 5C5.000.G2R
E27	5C5.000.E27	

Master box: **24pcs**

EXTRALETI 300-VP

LED 2x3W GX53 LAMPS INCLUDED	4000K 3000K	5S5.000.G2L 5S5.000.G2R
---------------------------------	----------------	----------------------------

Master box: **20pcs**

BERTINA

BULKHEAD



BERTINA



BERTA



UMBERTA










MADE IN ITALY







1B1.000

**NO SCREWS
AT SIGHT**

BERTINA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	 40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	 75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			



BERTINA

LED GX53 LAMP INCLUDED	POWER	COLOUR TEMPERATURE	MODEL
3W	4000K	1B1.000.G1L	
	3000K	1B1.000.G1R	
7W	4000K	1B1.000.C1L	
	3000K	1B1.000.C1R	
10W	4000K	1B1.000.D1L	
	3000K	1B1.000.D1R	



Master box: **45pcs**

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

GX53 LED





3W

7W

10W

BERTA


BULKHEAD



BERTINA



BERTA



UMBERTA







MADE IN ITALY




1B2.000




**NO SCREWS
AT SIGHT**

BERTA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT




AVAILABLE COLORS			DIFFUSER
RESIN BODY (MOULDED COLOURS)			OPAL (Y)
BLACK (A)	GREY (L)	WHITE (W)	
			

BERTA



LED
GX53 LAMP INCLUDED

E27		1B2.000.P27
E27 WITH SENSOR)))		1B2.000.PS7
7W LED	4000K	1B2.000.A1L
	3000K	1B2.000.A1R
11W LED	4000K	1B2.000.B1L
	3000K	1B2.000.B1R
18W LED	4000K	1B2.000.E1L
	3000K	1B2.000.E1R



Master box: **16pcs**

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

E27



E27 +SENSOR



GX53 LED




UMBERTA

BULKHEAD



BERTINA



BERTA



UMBERTA



MADE IN ITALY



UV-TREATED



ANTI-SHOCK



RECYCLABLE



CE



CB IEC60730 SCHEME



IP66








DOUBLE INSULATION CLASS

1B3.000




NO SCREWS AT SIGHT

UMBERTA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	=  60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	=  100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	=  150W INCANDESCENT




AVAILABLE COLORS			DIFFUSER
RESIN BODY (MOULDED COLOURS)			OPAL (Y)
BLACK (A)	GREY (L)	WHITE (W)	
			

UMBERTA



LED
GX53 LAMP
INCLUDED

E27		1B3.000.E27
2x E27		1B3.000.E28
7W LED	4000K	1B3.000.A1L
	3000K	1B3.000.A1R
11W LED	4000K	1B3.000.B1L
	3000K	1B3.000.B1R
18W LED	4000K	1B3.000.E1L
	3000K	1B3.000.E1R



Master box: **12pcs**

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

E27





2x E27




GX53 LED




EMERGENCY




UMBERTA EMERGENCY - LED VERSIONS					
EMERGENCY KIT	MODE	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
	NORMAL	15W	2000Lm	220-240V 50/60 Hz	4000K
	EMERGENCY (min 3 hours)	2,4W	250Lm	220-240V 50/60 Hz	4000K

UMBERTA LED MAINTAINED EMERGENCY

LED 4000K 1B3.000.EM1

PRODUCT TYPE	Wall and Ceiling bulkhead with Emergency kit
OPERATING VOLTAGE	220~240 vAC
LUMINOUS FLUX & POWER	2000 lumen (Normal mode), 15W 250 lumen (Emergency mode), 2.4W
LED TYPE	Edison SMD 2835, 4000 K
CRI	>80Ra
PF (POWER FACTOR)	>0.95
BEAM ANGLE	120°
OPERATING TEMPERATURE	0~50°C
BATTERY	Ni-MH, BK370Ah3.6V, Panasonic (3.5Ah, 3.6V)
BATTERY OPERATING TIME	min 3 hours (250 lumen)
BATTERY CHARGING TIME	24 hours
Drivers Standards	EN 61347-1, EN 61347-2-7, EN 61347-2-13, EN 62384, EN 60598-2-22 EN 55015, EN61547, EN 61000-3-2, EN 61000-3-3
Battery Standards	EN 5501-1, EN 61000, EN 55014-2



Provided with built-in test button to check battery status.





HOW IT WORKS

In case of blackout, the emergency kit turns on. The Bulkhead switches from Normal mode to Emergency mode and keeps on working.



Green Led: identifies the emergency light and shows that the system is operating correctly.




BERTA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K	60W INCANDESCENT
				3000K	
	11W	1300Lm	100-240V 50/60 Hz	4000K	100W INCANDESCENT
		3000K			
	18W	2000Lm	100-240V 50/60 Hz	4000K	150W INCANDESCENT
				3000K	

UMBERTA MOTION & DAYLIGHT SENSOR

E27 WITH SENSOR)))		1B3.000.E57	36
2x E27 WITH SENSOR)))		1B3.000.E58	
7W LED GX53 WITH SENSOR)))	4000K	1B3.000.ASL	
	3000K	1B3.000.ASR	
11W LED GX53 WITH SENSOR)))	4000K	1B3.000.BSL	
	3000K	1B3.000.BSR	
18W LED GX53 WITH SENSOR)))	4000K	1B3.000.ESL	
	3000K	1B3.000.ESR	

Product Type	Wall and Ceiling bulkhead with Motion&Daylight sensor
Sensor operating voltage	220~240 vAC (120v version available on demand)
Version	GX53 LED, E27, 2xE27
Sensor Operating Temperature	-10° +60°C
Detection angle	30° - 150°
Fields of detection	1 - up to 5 mt (adjustable)










1G3.000



SUPPLIED FULLY PRE-WIRED





LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT



AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)
		
		OPAL (Y) 

GELMI







Master box: 16pcs

E27		1G3.000.E27
GX53 LED 7W	4000K	1G3.000.A1L
	3000K	1G3.000.A1R
GX53 LED 11W	4000K	1G3.000.B1L
	3000K	1G3.000.B1R
GX53 LED 18W	4000K	1G3.000.E1L
	3000K	1G3.000.E1R

GELMI-EL







Master box: 16pcs

E27		2G3.000.E27
GX53 LED 7W	4000K	2G3.000.A1L
	3000K	2G3.000.A1R
GX53 LED 11W	4000K	2G3.000.B1L
	3000K	2G3.000.B1R
GX53 LED 18W	4000K	2G3.000.E1L
	3000K	2G3.000.E1R


GELMI-GR





Master box: 16pcs





E27		3G3.000.E27
GX53 LED 7W	4000K	3G3.000.A1L
	3000K	3G3.000.A1R
GX53 LED 11W	4000K	3G3.000.B1L
	3000K	3G3.000.B1R
GX53 LED 18W	4000K	3G3.000.E1L
	3000K	3G3.000.E1R




1D3.000

SUPPLIED FULLY PRE-WIRED


GX53 LED	E27	E27 + SENSOR
<p>WITH SENSOR))) 220-240V (.ES7)</p>		


LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

DANZI







E27		1D3.000.E27
GX53 LED 7W	4000K	1D3.000.A1L
	3000K	1D3.000.A1R
GX53 LED 11W	4000K	1D3.000.B1L
	3000K	1D3.000.B1R
GX53 LED 18W	4000K	1D3.000.E1L
	3000K	1D3.000.E1R

Master box: 16pcs

DANZI-VE







E27		2D3.000.E27
GX53 LED 7W	4000K	2D3.000.A1L
	3000K	2D3.000.A1R
GX53 LED 11W	4000K	2D3.000.B1L
	3000K	2D3.000.B1R
GX53 LED 18W	4000K	2D3.000.E1L
	3000K	2D3.000.E1R

Master box: 16pcs

DANZI-GR





E27		3D3.000.E27
GX53 LED 7W	4000K	3D3.000.A1L
	3000K	3D3.000.A1R
GX53 LED 11W	4000K	3D3.000.B1L
	3000K	3D3.000.B1R
GX53 LED 18W	4000K	3D3.000.E1L
	3000K	3D3.000.E1R

Master box: 16pcs



1U3.000



SUPPLIED FULLY PRE-WIRED


GX53 LED	E27	E27 + SENSOR
		WITH SENSOR))) 220-240V (.ES7)

BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

	CLEAR .CL1	PINK .PK1	BLUE .BU1	GREEN .GN1	ORANGE .OR1
ADDITIONAL PRICE					

LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	150W INCANDESCENT



AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)
		OPAL (Y)

STUCCHI

E27		1U3.000.E27
GX53 LED 7W	4000K	1U3.000.A1L
	3000K	1U3.000.A1R
GX53 LED 11W	4000K	1U3.000.B1L
	3000K	1U3.000.B1R
GX53 LED 18W	4000K	1U3.000.E1L
	3000K	1U3.000.E1R

BACKLIT COLOURS VERSION

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

CLEAR .CL1	PINK .PK1	BLUE .BU1	GREEN .GN1	ORANGE .OR1

Master box: 16pcs

CECCHI

E27		1H3.000.E27
GX53 LED 7W	4000K	1H3.000.A1L
	3000K	1H3.000.A1R
GX53 LED 11W	4000K	1H3.000.B1L
	3000K	1H3.000.B1R
GX53 LED 18W	4000K	1H3.000.E1L
	3000K	1H3.000.E1R

BACKLIT COLOURS VERSION

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

CLEAR .CL1	PINK .PK1	BLUE .BU1	GREEN .GN1	ORANGE .OR1

Master box: 16pcs

RITA

E27		1T3.000.E27
GX53 LED 7W	4000K	1T3.000.A1L
	3000K	1T3.000.A1R
GX53 LED 11W	4000K	1T3.000.B1L
	3000K	1T3.000.B1R
GX53 LED 18W	4000K	1T3.000.E1L
	3000K	1T3.000.E1R

PAINTED COLOURS

*To order the painted colour version of RITA, the following suffixes have to be added at the end of the code.

MOULDED COLOURS		ANTIQUE GREEN (V)		ANTIQU BRONZE (B)
BLACK (A)	WHITE (W)			

Master box: 12pcs

LUCIA

BULKHEAD



BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.




SUPPLIED FULLY PRE-WIRED



BRACKET VERSION AVAILABLE



LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	150W INCANDESCENT



AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)
		OPAL (Y)



LED
GX53
LAMP
INCLUDED

LUCIA		REMI/LUCIA	
E27	1R3.000.E27	E27	1R3.602.E27
GX53	4000K 1R3.000.A1L	GX53	4000K 1R3.602.A1L
LED 7W	3000K 1R3.000.A1R	LED 7W	3000K 1R3.602.A1R
GX53	4000K 1R3.000.B1L	GX53	4000K 1R3.602.B1L
LED 11W	3000K 1R3.000.B1R	LED 11W	3000K 1R3.602.B1R
GX53	4000K 1R3.000.E1L	GX53	4000K 1R3.602.E1L
LED 18W	3000K 1R3.000.E1R	LED 18W	3000K 1R3.602.E1R
Master box: 16pcs		Master box: 16pcs	



LED
GX53
LAMP
INCLUDED

LUCIA-EL		REMI/LUCIA-EL	
E27	2R3.000.E27	E27	2R3.602.E27
GX53	4000K 2R3.000.A1L	GX53	4000K 2R3.602.A1L
LED 7W	3000K 2R3.000.A1R	LED 7W	3000K 2R3.602.A1R
GX53	4000K 2R3.000.B1L	GX53	4000K 2R3.602.B1L
LED 11W	3000K 2R3.000.B1R	LED 11W	3000K 2R3.602.B1R
GX53	4000K 2R3.000.E1L	GX53	4000K 2R3.602.E1L
LED 18W	3000K 2R3.000.E1R	LED 18W	3000K 2R3.602.E1R
Master box: 16pcs		Master box: 16pcs	



LED
GX53
LAMP
INCLUDED

LUCIA-GD		REMI/LUCIA-GD	
E27	3R3.000.E27	E27	3R3.602.E27
GX53	4000K 3R3.000.A1L	GX53	4000K 3R3.602.A1L
LED 7W	3000K 3R3.000.A1R	LED 7W	3000K 3R3.602.A1R
GX53	4000K 3R3.000.B1L	GX53	4000K 3R3.602.B1L
LED 11W	3000K 3R3.000.B1R	LED 11W	3000K 3R3.602.B1R
GX53	4000K 3R3.000.E1L	GX53	4000K 3R3.602.E1L
LED 18W	3000K 3R3.000.E1R	LED 18W	3000K 3R3.602.E1R
Master box: 16pcs		Master box: 16pcs	

MADDI

BULKHEAD



MADE IN ITALY



1V3.000

BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.








SUPPLIED FULLY PRE-WIRED



BRACKET VERSION AVAILABLE





LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT



AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)
		
		OPAL (Y) 





LED
GX53
LAMP
INCLUDED

MADDI		REMI/MADDI	
E27	1V3.000.E27	E27	1V3.602.E27
GX53	4000K 1V3.000.A1L	GX53	4000K 1V3.602.A1L
LED 7W	3000K 1V3.000.A1R	LED 7W	3000K 1V3.602.A1R
GX53	4000K 1V3.000.B1L	GX53	4000K 1V3.602.B1L
LED 11W	3000K 1V3.000.B1R	LED 11W	3000K 1V3.602.B1R
GX53	4000K 1V3.000.E1L	GX53	4000K 1V3.602.E1L
LED 18W	3000K 1V3.000.E1R	LED 18W	3000K 1V3.602.E1R
			
Master box: 16pcs		Master box: 16pcs	





LED
GX53
LAMP
INCLUDED

MADDI-VE		REMI/MADDI-VE	
E27	2V3.000.E27	E27	2V3.602.E27
GX53	4000K 2V3.000.A1L	GX53	4000K 2V3.602.A1L
LED 7W	3000K 2V3.000.A1R	LED 7W	3000K 2V3.602.A1R
GX53	4000K 2V3.000.B1L	GX53	4000K 2V3.602.B1L
LED 11W	3000K 2V3.000.B1R	LED 11W	3000K 2V3.602.B1R
GX53	4000K 2V3.000.E1L	GX53	4000K 2V3.602.E1L
LED 18W	3000K 2V3.000.E1R	LED 18W	3000K 2V3.602.E1R
			
Master box: 16pcs		Master box: 16pcs	



LED
GX53
LAMP
INCLUDED







MADDI-HL		REMI/MADDI-HL	
E27	3V3.000.E27	E27	3V3.602.E27
GX53	4000K 3V3.000.A1L	GX53	4000K 3V3.602.A1L
LED 7W	3000K 3V3.000.A1R	LED 7W	3000K 3V3.602.A1R
GX53	4000K 3V3.000.B1L	GX53	4000K 3V3.602.B1L
LED 11W	3000K 3V3.000.B1R	LED 11W	3000K 3V3.602.B1R
GX53	4000K 3V3.000.E1L	GX53	4000K 3V3.602.E1L
LED 18W	3000K 3V3.000.E1R	LED 18W	3000K 3V3.602.E1R
			
Master box: 16pcs		Master box: 16pcs	









SPECIAL PRICE

AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			



AVAILABLE VERSIONS		
GX53 LED	4x GX53	2x E27
		
LED GX53	LED GX53	CFL LED

GIORGIO LED VERSIONS						
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE		
	11W	1300Lm	100-240V 50/60 Hz	4000K	=  100W INCANDESCENT	
	18W	2000Lm		3000K		=  150W INCANDESCENT
4x 	4x7W 28W	3200Lm	100-240V 50/60 Hz	4000K	=  70W HQI-SON	
	4x10W 40W	4800Lm		3000K		=  100W HQI-SON
				4000K		

ROSA LED VERSIONS						
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE		
	2x11W 22W	2600Lm	100-240V 50/60 Hz	4000K	=  2x100W INCANDESCENT	
	2x18W 36W	4000Lm		3000K		=  2x150W INCANDESCENT
4x 	2x28W 56W	6400Lm	100-240V 50/60 Hz	4000K	=  2x70W HQI-SON	
	2x40W 80W	9600Lm		3000K		=  2x100W HQI-SON
				4000K		

EKTOR 2500 /GIORGIO			LED GX53 LAMPS INCLUDED
E27		4P2.361.G10.E28	
11W	4000K	4P1.361.G10.B1L	
	3000K	4P1.361.G10.B1R	
18W	4000K	4P1.361.G10.E1L	
	3000K	4P1.361.G10.E1R	
4x7W 28W	4000K	4P2.361.G10.C4L	
	3000K	4P2.361.G10.C4R	
4x10W 40W	4000K	4P2.361.G10.D4L	
	3000K	4P2.361.G10.D4R	

EKTOR 2500 /ROSA			LED GX53 LAMPS INCLUDED
2x E27		4P2.361.G20.E28	
2x 11W	4000K	4P1.361.G20.B1L	
	3000K	4P1.361.G20.B1R	
2x 18W	4000K	4P1.361.G20.E1L	
	3000K	4P1.361.G20.E1R	
2x 28W	4000K	4P2.361.G20.C4L	
	3000K	4P2.361.G20.C4R	
2x 40W	4000K	4P2.361.G20.D4L	
	3000K	4P2.361.G20.D4R	



BEPPE 400/VIVI 400

POST



NEW HIGH POWER LED

**INDOOR &
OUTDOOR
USE**

+80°C
-30°

90%
HUMIDITY





VOLTAGE SURGE
RESISTANT




30W (3300 lm)
50W (5000 lm)

More details at page 95





BEPPE-VIVI 400 HIGH POWER LED					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 HIGH POWER LED E27	30W	3300Lm	100-240V 50/60 Hz	4000K 3000K	 50W HQI-SON
 HIGH POWER LED E27	50W	5000Lm	100-240V 50/60 Hz	4000K 3000K	 70W HQI-SON



AVAILABLE COLORS				
RESIN BODY (MOULDED COLOURS)			DIFFUSER	
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)	OPAL (Y)
				

EKTOR 2500 / BEPPE400			
30W LED	4000K	P50.361.Q1L	
	3000K	P50.361.Q1R	
50W LED	4000K	P50.361.H1L	
	3000K	P50.361.H1R	

EKTOR 2500 MIDIPILAR / VIVI400 1L			
30W LED	4000K	V50.361.A10.Q1L	
	3000K	V50.361.A10.Q1R	
50W LED	4000K	V50.361.A10.H1L	
	3000K	V50.361.A10.H1R	







Power surges resistant

- **Wide voltage range (100-240V)** to protect the driver both from voltage droop and voltage overshoot, which are quite frequent in case of outdoor installations.
- **Double 400V capacitors** and multiple resistances to withstand power surges.
- **Silicone paste** to avoid – in case of voltage swings - the vibration of the electronic components of the driver and the consequent risk of components unsoldering.



Heat resistant - Working temperature -30°+80°C

- **Gold wire bonding:** Chips connected by pure gold wires, which are able to withstand at the highest and lowest temperatures and at temperature fluctuations between day and night. The gold wire bonding can grant a lumens maintenance factor > 80%.
- **Silicone paste:** Thermoconductive silicone paste with metal powder inside for helping heat dissipation and avoid overheating problems and for protecting the electronic components in case of high and low temperatures.




Humidity resistant - Weatherproof driver for a longer lifetime

- **Silicone paste:** The driver is fully enclosed in a special silicone paste, which ensures the highest driver protection against moisture and humidity up to 90%, both unavoidable in outdoor installations.



Tested according to :
EN 62560:2012/A1: 2015
IEC/TR 62778:2014
EN 62493:2015



LVD TESTED

LVD Certificate: Fumagalli lamps fulfil the Low Voltage Directive 2014/35/EU, therefore are CE marked and comply with safety requirements like protection against electrical shock, moisture and heat resistance, resistance to flame and ignition.

EMC TESTED

EMC Certificate: Fumagalli lamps meet the Electromagnetic Compatibility Directive 2014/30/EU and its amendments.

ERP 6000 h

ERP Attestation of conformity: Fumagalli lamps fulfil the European Ecodesign Directive 2009/125/EC and EU 2015/1428 about the energy performance requirements of energy related products. Lamp lumen maintenance factor after 6.000 hrs > 80%

CB IECIEE CB SCHEME

IECEE CB Certificate: Fumagalli lamps meet the International System for Conformity and Certification of Electrotechnical Equipment allowing direct market access in more than 50 countries all over the world.

RoHS REACH COMPLIANT

RoHS REACH compliant: Fumagalli lamps fulfil the RoHS (Restriction of Hazardous Substances) directive 2011/65/EU and its amendments and the REACH regulation (EC) No. 1907/2006, regarding the concentration of Very High Concern Substances (SVHC).











G9 LED

		POWER	1,7 W	
		LUMINOUS FLUX	170 lm	
		SIZE & SOCKET		
		EFFICIENCY	100 lm/W	
		VOLTAGE	100-240 V	
		FREQUENCY	50/60 Hz	
		CURRENT	17 mA	
		COLOR RENDERING INDEX RA	80	
		BEAM ANGLE	110°	
		WARM UP TIME	≤ 0,5"	
		SWITCHING CYCLE	> 40.000	
		LIFETIME	15.000 h	
		KELVIN	4000 K	3000 K
		REF. CODE	H.LED.G09.4K	H.LED.G09.3K









GU10 LED

		POWER	3,5 W	
		LUMINOUS FLUX	400 lm	
		SIZE & SOCKET		
		EFFICIENCY	114 lm/W	
		VOLTAGE	100-240 V	
		FREQUENCY	50/60 Hz	
		CURRENT	70 mA	
		COLOR RENDERING INDEX RA	> 80	
		BEAM ANGLE	36°	
		WARM UP TIME	≤ 0,5"	
		SWITCHING CYCLE	> 25.000	
		LIFETIME	25.000 h	
		KELVIN	4000 K	3000 K
		REF. CODE	H.LED.GU10	H.LED.GU10.3K
		COMPARISON		







R7s LED 78mm

 <p>SILICONE PROTECTION DRIVER</p> <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p>	 <p>Ø22mm</p> 		POWER	4 W	
			LUMINOUS FLUX	400 lm	
  			SIZE & SOCKET	R7s	
			EFFICIENCY	100 Lm/W	
			VOLTAGE	100-240 V	
			FREQUENCY	50/60 Hz	
			CURRENT	75 mA	
			POWER FACTOR	> 0,5	
			COLOR RENDERING INDEX RA	> 80	
			BEAM ANGLE	360°	
			WARM UP TIME	≤ 0,5"	
			SWITCHING CYCLE	45.000	
			LIFETIME	25.000 h	
			KELVIN	4000 K	3000 K
			REF. CODE	H7.LED.R7S.4K	H7.LED.R7S.3K

R7s LED 118mm

 <p>SILICONE PROTECTION DRIVER</p> <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p>	 <p>Ø22mm</p> 		POWER	8,5 W	
			LUMINOUS FLUX	900 lm	
  			SIZE & SOCKET	R7s	
			EFFICIENCY	106 Lm/W	
			VOLTAGE	100-240 V	
			FREQUENCY	50/60 Hz	
			CURRENT	168 mA	
			POWER FACTOR	> 0,5	
			COLOR RENDERING INDEX RA	> 80	
			BEAM ANGLE	360°	
			WARM UP TIME	≤ 0,5"	
			SWITCHING CYCLE	45.000	
			LIFETIME	25.000 h	
			KELVIN	4000 K	3000 K
			REF. CODE	H8.LED.R7S.4K	H8.LED.R7S.3K

R7s LED 189mm

 <p>SILICONE PROTECTION DRIVER</p> <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p>	 <p>Ø22mm</p> 		POWER	11 W	
			LUMINOUS FLUX	1200 lm	
  			SIZE & SOCKET	R7s	
			EFFICIENCY	110 Lm/W	
			VOLTAGE	100-240 V	
			FREQUENCY	50/60 Hz	
			CURRENT	170 mA	
			POWER FACTOR	> 0,5	
			COLOR RENDERING INDEX RA	> 80	
			BEAM ANGLE	360°	
			WARM UP TIME	≤ 0,5"	
			SWITCHING CYCLE	45.000	
			LIFETIME	25.000 h	
			KELVIN	4000 K	3000 K
			REF. CODE	H9.LED.R7S.4K	H9.LED.R7S.3K

E27 LED FILAMENT A60

POWER	6 W		8 W	
LUMINOUS FLUX	800 lm		1000 lm	
SIZE & SOCKET				
EFFICIENCY	133 Lm/W		125 Lm/W	
VOLTAGE	100-240 V		100-240 V	
FREQUENCY	50/60 Hz		50/60 Hz	
CURRENT	60 mA		76 mA	
POWER FACTOR	> 0,7		> 0,7	
COLOR RENDERING INDEX RA	> 80		> 80	
BEAM ANGLE	360°		360°	
WARM UP TIME	≤ 0,5"		≤ 0,5"	
SWITCHING CYCLE	> 100.000		> 100.000	
LIFETIME	25.000 h		25.000 h	
KELVIN	4000K	2700 K	4000K	2700 K
REF. CODE	H.LED.FIL.4K	H.LED.FIL.3K	H2.LED.FIL.4K	H2.LED.FIL.3K
COMPARISON	6W = 60W 800 Lm incandescent SAVE 90%		8W = 75W 1000 Lm incandescent SAVE 89%	

SILICONE PROTECTION DRIVER

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT

IECEE CB CERTIFICATE: SG PSB-LE-01711

E27 LED FILAMENT A70

POWER	12 W	
LUMINOUS FLUX	1500 lm	
SIZE & SOCKET		
EFFICIENCY	125 Lm/W	
VOLTAGE	100-240 V	
FREQUENCY	50/60 Hz	
CURRENT	100 mA	
POWER FACTOR	> 0,7	
COLOR RENDERING INDEX RA	> 80	
BEAM ANGLE	360°	
WARM UP TIME	≤ 0,5"	
SWITCHING CYCLE	> 100.000	
LIFETIME	25.000 h	
KELVIN	4000K	2700K
REF. CODE	H3.LED.FIL.4K	H3.LED.FIL.3K
COMPARISON	12W = 100W 1500 Lm incandescent SAVE 88%	

SILICONE PROTECTION DRIVER


INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY






VOLTAGE SURGE RESISTANT

IECEE CB CERTIFICATE: SG PSB-LE-01711

E27 HIGH POWER LED

 <p>ENERGY CLASS A++ A+ A B C D E</p> <p>INDOOR & OUTDOOR USE -20° +40°C 90% Humidity</p> <p>30W 3300lm</p> <p>TUV SUD</p> <p>100-240V 135 mA PF >0,9 CRI >80 3000 K</p> <p>SILICONE PROTECTION DRIVER</p> <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p> <p>CE LVD tested EMC tested ERP 6000h</p> <p>TECEE CB SCHEME</p> <p>IECEE CB CERTIFICATE: SG PSB-LE-01712 SG PSB-LE-01708</p>	POWER	15 W		30 W	
	LUMINOUS FLUX	1800 lm		3500 lm	
	SIZE & SOCKET				
	EFFICIENCY	120 Lm/W		116 Lm/W	
	VOLTAGE	100-240 V		100-240 V	
	FREQUENCY	50/60 Hz		50/60 Hz	
	CURRENT	130 mA		135 mA	
	POWER FACTOR	> 0,5		> 0,9	
	COLOR RENDERING INDEX RA	> 80		> 80	
	BEAM ANGLE	200°		200°	
	WARM UP TIME	< 0,5"		< 1"	
	SWITCHING CYCLE	30.000		30.000	
	LIFETIME	25.000 h		25.000 h	
	KELVIN	4000 K	3000 K	4000 K	3000 K
REF. CODE	H3.LED.HIP.4K	H3.LED.HIP.3K	H2.LED.HIP.4K	H2.LED.HIP.3K	
COMPARISON	15W 1500 Lm = 100W incandescent 		30W 3300 Lm = 50W HQI-SON 		

E27 HIGH POWER LED

 <p>ENERGY CLASS A++ A+ A B C D E</p> <p>INDOOR & OUTDOOR USE -20° +40°C 90% Humidity</p> <p>50W 5000lm</p> <p>TUV SUD</p> <p>100-240V 210 mA PF >0,9 CRI >80 3000 K</p> <p>SILICONE PROTECTION DRIVER</p> <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p> <p>CE LVD tested EMC tested ERP 6000h</p> <p>TECEE CB SCHEME</p> <p>IECEE CB CERTIFICATE: SG PSB-LE-01707 SG PSB-LE-01705</p>	POWER	50 W		60 W	
	LUMINOUS FLUX	5300 lm		7000 lm	
	SIZE & SOCKET				
	EFFICIENCY	106 Lm/W		116 Lm/W	
	VOLTAGE	100-240 V		100-240 V	
	FREQUENCY	50/60 Hz		50/60 Hz	
	CURRENT	210 mA		290 mA	
	POWER FACTOR	> 0,9		> 0,9	
	COLOR RENDERING INDEX RA	> 80		> 80	
	BEAM ANGLE	200°		200°	
	WARM UP TIME	< 1"		< 0,5"	
	SWITCHING CYCLE	30.000		30.000	
	LIFETIME	25.000 h		25.000 h	
	KELVIN	4000 K	3000 K	4000 K	3000 K
REF. CODE	H.LED.HIP.4K	H.LED.HIP.3K	H4.LED.HIP.4K	H4.LED.HIP.3K	
COMPARISON	50W 5000 Lm = 70W HQI-SON 		60W 7000 Lm = 100W HQI-SON 		







GX53 LED Ø75

		POWER	3 W	
		LUMINOUS FLUX	350 lm	
		SIZE & SOCKET		
		EFFICIENCY	116 Lm/W	
		VOLTAGE	100-240 V	
		FREQUENCY	50/60 Hz	
		CURRENT	30 mA	
		COLOR RENDERING INDEX RA	> 80	
		BEAM ANGLE	120°	
		<div style="border: 1px solid black; padding: 5px;"> <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p> </div> <div style="text-align: center;"> <p>IECEE CB CERTIFICATE: SG PSB-LE-01706</p> </div>	WARM UP TIME	≤ 0,5"
SWITCHING CYCLE	> 30.000			
LIFETIME	25.000 h			
KELVIN	4000 K		3000 K	
REF. CODE	H.LED.G53		H.LED.G53.3K	
COMPARISON	<p>3W = 40W</p> <p>350 Lm incandescent</p> <p>SAVE 93%</p>			

GX53 LED Ø100mm

		POWER	7 W	10 W		
		LUMINOUS FLUX	800 lm	1200 lm		
		SIZE & SOCKET				
		EFFICIENCY	114 Lm/W	120 Lm/W		
		VOLTAGE	100-240 V		100-240 V	
		FREQUENCY	50/60 Hz		50/60 Hz	
		CURRENT	34 mA		48 mA	
		POWER FACTOR	0,9		0,9	
		COLOR RENDERING INDEX RA	> 80		> 80	
		BEAM ANGLE	120°		120°	
<div style="border: 1px solid black; padding: 5px;"> <p>SILICONE PROTECTION DRIVER</p> <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p> </div> <div style="text-align: center;"> <p>IECEE CB CERTIFICATE: SG PSB-LE-01709</p> </div>	WARM UP TIME	≤ 0,5"		≤ 0,5"		
	SWITCHING CYCLE	> 30.000		> 30.000		
	LIFETIME	25.000 h		25.000 h		
	KELVIN	4000 K	3000 K	4000 K	3000 K	
	REF. CODE	H2.LED.G53	H2.LED.G53.3K	H3.LED.G53	H3.LED.G53.3K	
	COMPARISON	<p>7W = 75W</p> <p>800 Lm incandescent</p> <p>SAVE 90%</p>		<p>10W = 100W</p> <p>1200 Lm incandescent</p> <p>SAVE 90%</p>		

GX53 LED Ø180mm

		POWER	7 W		11 W		18 W		
		LUMINOUS FLUX	600 lm		1300 lm		2000 lm		
		SIZE & SOCKET							
		EFFICIENCY	86 Lm/W		118 Lm/W		111 Lm/W		
		VOLTAGE	100-240 V		100-240 V		100-240 V		
		FREQUENCY	50/60 Hz		50/60 Hz		50/60 Hz		
		CURRENT	60 mA		150 mA		200 mA		
		POWER FACTOR	0,5		0,9		0,9		
		CRI (RA)	> 80		> 80		> 80		
		BEAM ANGLE	90°		90°		90°		
WARM UP TIME	≤ 0,5"		≤ 0,5"		≤ 0,5"				
SWITCHING CYCLE	30.000		> 25.000		> 25.000				
LIFETIME	25.000 h		25.000 h		25.000 h				
KELVIN	4000 K 3000 K		4000 K 3000 K		4000 K 3000 K				
REF. CODE	H6.LED.G53.4K H6.LED.G53.3K		H4.LED.G53 H4.LED.G53.3K		H5.LED.G53.4K H5.LED.G53.3K				
COMPARISON	7W = 60W 800 Lm incandescent  SAVE 88%		11W = 100W 1300 Lm incandescent  SAVE 89%		18W = 150W 2000 Lm incandescent  SAVE 88%				

SILICONE PROTECTION DRIVER

(11W-18W)

INDOOR & OUTDOOR USE

-30 +80 °C | 90% HUMIDITY

VOLTAGE SURGE RESISTANT

CE LVD tested

TUV SUD EMC tested


ERP 6000h

IECEE CB SCHEME

IECEE CB CERTIFICATE:
SG PSB-LE-01704
SG PSB-LE-01713

LOOKING FOR A CLASSIC DESIGN PRODUCT?

See our **Top selection 2020** dedicated to our **classic range!**



TO SEE OUR COMPLETE COLLECTION

Ask for our
General Catalogue 2021
or visit our website at
www.fumagalli.it



157
DISTRIBUTORS
ALL OVER THE WORLD

MADE IN ITALY

RESIN MATERIAL ADVANTAGES



NO MAINTENANCE



ANTI-CORROSION



DOUBLE INSULATION



NOT AFFECTED BY CHEMICAL FERTILIZERS




UV-RAY STABILIZED



RECYCLABLE




UV TREATED




DOUBLE INSULATION



ANTI-SHOCK



TEMPERATURE



ENERGY SAVING



RESIDENTIAL



PUBLIC

HOW TO READ THE CODE

DIFFUSER
IDENTIFIES THE DIFFUSER

1 R 3

STRUCTURE
IDENTIFIES THE STRUCTURE ON WHICH THE DIFFUSER IS MOUNTED (POLE, BRACKET, BASE, SPIKE)

6 1 3

SYSTEM
IDENTIFIES THE MULTILIGHT SYSTEM IF PRESENT

X 2 0

COLOUR OF THE STRUCTURE
IDENTIFIES THE COLOUR OF THE STRUCTURE
A BLACK
W WHITE
L GREY

A

COLOUR OF THE DIFFUSER
IDENTIFIES THE COLOUR OF THE DIFFUSER
X CLEAR/FROSTED
Y OPAL
Z SMOKED

Y

ELECTRIFICATION
IDENTIFIES THE TYPE OF ELECTRIFICATION AND THE EVENTUAL PRESENCE OF BULBS

O R 1

4 NEWS
20 BOLLARD
36 UP&DOWN
44 FLOODLIGHT
54 IN-GROUND
58 BRICKLIGHT
64 BULKHEAD
82 POST
90 LAMPS




fumagalli[®]
s i n c e 1 9 7 3

Fumagalli S.r.l.
Via Ca' Bassa, 29
21100 Varese - ITALY
Tel. +39.0332.336353
Fax. +39.0332.336358
E-mail italian.lux@fumagalli.it



www.fumagalli.it

